INDEX FOR VOLUME 68

Compiled by Melissa R. Sette-Lake, Wisconsin Department of Natural Resources, Madison

Key words are indicated in boldface type.

A

Abies balsamea, see Fir, balsam
Abies concolor, see Fir, white
Abies grandis, see Fir, grand
Abies lasiocarpa, see Fir, subalpine
Abies magnifica, see Fir, red
Abies procera, see Fir, noble
Acacia: 561–569
Acacia spp., *see* Acacia
Accipiter cooperii, see Hawk, Cooper's
Accipiter gentilis gentilis, see Goshawk, European
Accipiter gentilis, see Goshawk, northern
Accipiter striatus, see Hawk, sharp-shinned
Acer cirinatum, see Maple, vine
Acer macrophyllum, see Maple, bigleaf
Acer rubrum, see Maple, red
Acer saccharum, see Maple, sugar
Achille millefolium, see Yarrow
Achnatherum splendens, see Grass, shinning spear
Acinonyx jubatus, see Cheetah
Acipenser oxyrinchus desotoi, see Sturgeon, gulf
Adaptive kernel method: 1000–1009
Africa: 916–923
Agriculture: 61–73, 138–152, 179–187, 278–287, 332–341, 1018–1031
  waterbird foods in winter-managed ricefields in Mississippi, 74–83
  influence of cattle management on habitat selection by impala on central Kenyan rangeland, 916–923
  high potential for competition between guanacos and sheep in Patagonia, 924–938
  efficacy of hunting, feeding, and fencing to reduce crop damage by wild boars, 939–946
  spatial ecology of coyotes along a suburban-to-rural gradient, 1000–1009
  the impact of sterilized females on enclosed populations of ricefield rats, 1130–1137
  effects of imposed sterility on movement patterns of female ricefield rats, 1138–1144
AIC, *see* Akaike Information Criteria
Ailuropoda melanoleuca, see Panda, giant
Aimophila aestivalis, see Sparrow, Bachman's
Aircraft: 25–32, 153–166, 639–649
  efficacy of aircraft landing lights in stimulating avoidance behavior in birds, 725–732
Aix sponsa, see Duck, wood
Akaike Information Criteria: 1–13, 25–50, 138–166, 188–197, 288–298, 393–417, 475–492, 595–610, 672–682, 810–829, 947–959, 966–978, 1000–1009, 1032–1064, 1088–1094, 1114–1123
Alabama: 84–93, 1114–1123
Alaska: 63, 105, 134, 233–240, 319, 493
Alberta: 576–584
Albon, Steve, *see* Baldi, Ricardo
Alces alces, see Moose
Alder: 91, 278–287
Alder, red: 33–50, 405–417, 706–718
Alectoria ochroleuca, see Lichen
Alectoris graeca, see Partridge, rock
Alectoris rufa, see Partridge, red-legged
Alle alle, see Dovkies
Alleculids: 299–306
Allee effect:
  vigilance, predation risk, and the Allee effect in desert bighorn sheep, 519–532
Alleles: 109–119, 439–469
Allison, Stacey A., *see* Peterson, M. Nils
Alnus rubra, see Alder, red
Alnus serrulata, see Alder
Alt, Gary L., *see* Diefenbach, Duane R.
Ambrosia artemisiifolia, see Ragweed
Ambystoma maculatum, see Salamander, spotted
Ammodramus savannarum floridanus, see Sparrow, Florida grasshoppers
Ammodytes hexapterus, see Lance, Pacific sand
Ammodytes spp., *see* Fish
Amphibians: 1–24, 405–428
Analysis, microhistological: 241–246, 299–306, 533–541
Anas acuta, see Pintail, northern
Anas americana, see Wigeon, American
Anas cyanoptera, see Teal, cinnamon
Anas discors, see Teal, blue-winged
Anas platyrhynchos, see Duck, mallard
Anas rubripes, see Duck, black
Anas strepera, see Gadwall
Andelt, William F., Thomas M. Pojar, and Larue W. Johnson. Long-term trends in mule deer pregnancy and fetal rates in Colorado, 542–549
Andropogon gerardi, see Grass, big bluestem
Animal damage control: 470–474
Anisopterans: 299–306
Anobiidae: 683–693
Anser caerulescens, see Goose, snow
Anthocharis cardamines, see Butterflies, orange tip
Anthony, Robert G., *see* Glenn, Elizabeth M.
———, *see* Olson, Gail S.
Antilocarpa americana, see Pronghorn, American
Antrozous pallidus, see Bat, pallid
***Aonchoteca caudinflata*:** 701–707
Apalone musticus, see Turtle, smooth softshell
Apalone spinifera, see Turtle, spiny softshell
Aphidoidea: 683–693
Aplodontia rufa pacifica, see Beaver, Pacific mountain

Aplodontia rufa phaea, see Beaver, Point Reyes mountain
Applegate, Roger D., *see* Guthrey, Fred S.
———, *see* Williams, Christopher K.
Apps, Clayton D., Bruce N. McLellan, John G. Woods, and Michael F. Proctor. Estimating grizzly bear distribution and abundance relative to habitat and human influence, 138–152
Aquila adalberti, see Eagle, imperial
Araneidae: 683–693
Arbutus menziesii, see Madrone
Archilochus colubris, see Hummingbird, ruby-throated
Arion spp., *see* Snails
Arizona: 25–32, 188–197, 307–317, 360–370, 429–434, 595–601, 1054–1064, 1104–1113
Arkansas: 224
Artemisia anethifolia, see Wormwood, dilled
Artemisia desrtorum, see Wormwood, desert
Artemisia tridentate, see Sagebrush, big
***Ascaridia compare*:** 701–707
***Ascaridia galli*:** 701–707
Ash, white: 602–610
Aspect:
distribution and habitat of Columbian torrent salamanders at multiple spatial scales in managed forests of northwestern Oregon, 405–417
Aspen, trembling: 138–152, 188–197, 278–287, 307–317, 383–392, 576–584, 837–849, 1054–1064
Atwood, Todd C., Harmon P. Weeks, and Thomas M. Gehring. Spatial ecology of coyotes along a suburban-to-rural gradient, 1000–1009
Augustine, David J. Influence of cattle management on habitat selection by impala on central Kenyan rangeland, 916–923
Avicennia germinans, see Mangrove, black
Aythya affinis, see Scaup, lesser
Aythya americana, see Duck, redhead

B

Baccharis pilularis, see Brush, coyote
Badger: 342–350, 449–452, 650–662, 1010–1017
Bailey, Larissa L., Theodore R. Simons, and Kenneth H. Pollock. Estimating detection probability parameters for Plethodon salamanders using the robust capture–recapture design, 1–13
———, Theodore R. Simons, and Kenneth H. Pollock. Spatial and temporal variation in detection probability of Plethodon salamanders using robust capture–recapture design, 14–24
Balanus spp., *see* Barnacles
Baldi, Ricardo, Alicia Pelliza-Sbriller, David Elston, and Steve Albon. High potential for competition between guanacos and sheep in Patagonia, 924–938
Ballard, Bart M., Jonathan E. Thompson, Mark J. Petrie, Michael Chekett, and David G. Hewitt. Diet and nutrition of northern pintails wintering along the southern coast of Texas, 371–382
Ballard, Warren B., *see* Lawrence, Richard K.
———, *see* Rominger, Eric M.
Banci, Vivian, *see* Krebs, John
Band, leg: 25–32, 351–359, 393–404, 663–671, 694–700, 1039–1053
Barko, Valerie A., Jeffrey T. Briggler, and David E. Ostendorf. Passive fishing techniques: a cause of turtle mortality in the Mississippi River, 1145–1150
Barnacles: 233
Barrett, Reginald H., *see* Zielinski, William J.
Bart, Jonathan, Kenneth P. Burnham, Erica H. Dunn, Charles M. Francis, and C. John Ralph. Goals and strategies for estimating trends in landbird abundance, 611–626
Basswood, American: 383–392
Bat, big brown: 595–601
Bat, little brown:
interspecific and intersexual variation in roost-site selection of northern long-eared and little brown bats in the Greater Fundy National Park ecosystem, 602–610
Bat, northern long-eared:
interspecific and intersexual variation in roost-site selection of northern long-eared and little brown bats in the Greater Fundy National Park ecosystem, 602–610
Bat, pallid: 595–601
Bat, silver-haired: 595–601
Bear, Asiatic black:
relationship between changes in beechnut production and Asiatic black bears in northern Japan, 979–986
Bear, black: 101, 124, 154, 167–178, 234, 449–452
a spatially explicit model, derived form demographic variables, to predict attitudes toward black bear restoration, 223–232
efficacy of black bear supplemental feeding to reduce conifer damage in western Washington, 470–474
spatio-temporal and demographic variation in the harvest of black bears: implications for population estimation, 947–959
Bear, brown: 449–452, 889–899
dynamics of intertidal foraging by coastal brown bears in southwestern Alaska, 233–240
genetic monitoring of Scandinavian brown bear effective population size and immigration, 960–965
Bear, grizzly: 154, 167–178, 230, 439–448, 499, 550–560
possible effects of elk harvest on fall distribution of grizzly bears in the Greater Yellowstone Ecosystem, 129–137
estimating grizzly bear distribution and abundance relative to habitat and human influence, 138–152
sampling design and bias in DNA-based capture–mark–recapture population and density estimates of grizzly bears, 457–469
modeling survival: application of the Andersen-Gill model to Yellowstone grizzly bears, 966–978
Bear, Louisiana black: 223–232
Bear, polar: 499, 987
Bear, sun: 449–452
Beaver: 84–93, 472
habitat features affecting beaver occupancy along roadsides in New York state, 278–287
Beaver, Pacific mountain: 507

Beaver, Point Reyes mountain:
fire effects on the Point Reyes mountain beaver at Point Reyes National Seashore, California, 503–508
Béchet, Arnaud, Austin Reed, Nathalie Plante, Jean-François Giroux, and Gilles Gauthier. Estimating the size of the greater snow goose population, 639–649
Beech, American: 51–60, 247–265, 278–287, 602–610
Beechnut: 979–986
Bellemain, Eva, *see* Tallmon, David A.
Bender, Louis C., Greg A. Schirato, Rocky D. Spencer, Kelly R. McAllister, and Bryan L. Murphie. Survival, cause-specific mortality, and harvesting of male black-tailed deer in Washington, 870–878
Berdeen, James B., *see* Scott, David P.
Berkson, Jim, *see* Williams, Alison K.
Bernardos, Debra A., Carol L. Chambers, and Michael J. Rabe. Selection of Gambel oak roosts by southwestern myotis in ponderosa pine-dominated forests, northern Arizona. 595–601
Bernhardt, Glen E., *see* Blackwell, Bradley F.
Berry, coffee: 503–508
Betula alleghaniensis, see Birch, yellow
Betula bana, see Birch, dwarf
Betula occidentalis, see Birch, water
Betula papyrifera, see Birch, white
Bias: 48, 318–331, 611–626
factors affecting detection probability of California black rails, 360–370
sampling design and bias in DNA-based capture–mark–recapture population and density estimates of grizzly bears, 457–469
reporting-rate variability and precision of white-tailed deer harvest estimates in Pennsylvania, 860–869
Bienville National Forest: 223–232
Bingham, Ralph L., and Leonard A. Brennan. Comparison of Type I error rates for statistical analyses of resource selection, 206–212
Binkley, Dan, *see* Schoenecker, Kathryn
Birch, dwarf: 101–108
Birch, water: 533–541
Birch, white: 602–610
Birch, yellow: 51–60, 257–265, 278–287, 383–392, 602–610
Birds: 51–73, 318–331, 360–370, 383–392, 611–626
efficacy of aircraft landing lights in stimulating avoidance behavior in birds, 725–732
influence of fire on Bachman's sparrow, an endemic North American songbird, 1114–1123
Bison: 130, 154, 547, 966–978
Bison bison, see Bison
Bitterbrush: 533–541
Bittern, American: 360–370
Bittern, least: 360–370
Blackberry: 470–474
Blackbirds: 1010–1017
Blackwell, Bradley F., and Glen E. Bernhardt. Efficacy of aircraft landing lights in stimulating avoidance behavior in birds, 725–732
Bleich, Vernon C., *see* Pierce, Becky M.
Bluetongue: 550–560
Blumstein, Daniel T., *see* Runyan, Andrea M.
BMP, *see* Water, quality, best management practices
Boar, wild:
efficacy of hunting, feeding, and fencing to reduce crop damage by wild boars, 939–946
Bobcat: 101, 514–520, 533–541, 561–569, 663–671
Bobwhite, northern: 180, 509, 1029
winter survival and additive harvest in northern bobwhite coveys in Kansas, 94–100
space-use patterns of bobcats relative to supplemental feeding of northern bobwhites, 514–518
survival and cause-specific mortality of northern bobwhites in western Oklahoma, 663–671
estimating calling rates of northern bobwhite coveys and measuring abundance, 672–682
effects of bag limits on bobwhite hunters and harvest, 1095–1103
multi-state analysis of fixed, liberal regulations in quail harvest management, 1104–1113
Body weight: 238
Boegel, Ralf, *see* Slotta-Bachmayr, Leopold
Bombycilla cedrorum, see Waxwing, cedar
Bonasa umbellus, see Grouse, ruffed
Bontadina, Fabio, *see* Hegglin, Daniel
Bos grunniens, see Yak, domestic
Botaurus lentiginosus, see Bittern, American
Bothriochloa saccharoides, see Grass, cane bluestem
Bottleneck, population:
microsatellite DNA variation in Tule elk, 109–119
Boulanger, John, Bruce N. McLellan, John G. Woods, Michael F. Proctor, and Curtis Strobeck. Sampling design and bias in DNA-based capture–mark–recapture population and density estimates of grizzly bears, 457–469
Bouteloua spp., *see* Grama
Boutin, Stan, *see* James, Adam R. C.
Bowden, David C., *see* Pojar, Thomas M.
Bowman, Jacob L., Bruce D. Leopold, Francisco J. Vilella, and Duane A. Gill. A spatially explicit model, derived from demographic variables, to predict attitudes toward black bear restoration, 223–232
Bowyer, R. Terry, *see* Pierce, Becky M.
Boyce, Mark S., *see* Johnson, Chris J.
Boyce, Walter M., *see* Whittaker, Donald G.
Boyd, Diane K., *see* Kunkel, Kyran E.
Boyd, W. Sean, *see* Bradley, Russell W.
Brachiaria ramose, see Millet, brown top
Brachycera: 683–693
Brachyramphus marmoratus, see Murrelet, marbled
Bradley, Russell W., Fred Cooke, Lynn W. Lougheed, and W. Sean Boyd. Inferring breeding success through radiotelemetry in the marbled murrelet, 318–331
Brandt, David A., *see* Krapu, Gary L.
Branta canadensis, see Goose, Canada
Breen, Tim, *see* Millsap, Brian
Breitenmoser, Urs, *see* Hegglin, Daniel
Brennan, Leonard A., *see* Bingham, Ralph L.
Briggler, Jeffrey T., *see* Barko, Valerie A.

British Columbia: 61–73, 138–152, 167–178, 318–331, 415, 439, 457–469, 850–859
Broders, Hugh G., and Graham J. Forbes. Interspecific and intersexual variation in roost-site selection of northern long-eared and little brown bats in the Greater Fundy National Park ecosystem, 602–610
Bromley, Peter T., *see* Wellendorf, Shane D.
Bromus spp., *see* Grass, brome
Bromus tectorum, see Grass, cheat
Brush, black: 533–541
Brush, coyote: 503–508
Brush, rabbit: 533–541
Bub, Brian R., David J. Flaspohler, and Casey J. F. Huckins. Riparian and upland breeding-bird assemblages along headwater streams in Michigan's Upper Peninsula, 383–392
Bubo virginianus, see Owl, great horned
Bunting, indigo: 383–392
Bunting, ortolan:
effects of a golf course on population dynamics of the endangered ortolan bunting, 719–724
Buprestidae: 683–693
Burger, L. Wes, Jr., *see* Henner, Chrissie M.
Burke, Kyle M., *see* Lopez, Roel R.
Burnham, Kenneth P., *see* Bart, Jonathan
Burprestidae: 683–693
Bursera simaruba, see Limbo, gumbo
Buteo jamaicensis, see Hawk, red-tailed
Butterflies, orange tip: 101
Buttonbush: 91
Buttonwood: 570–575

C

Cabbage, skunk: 470–474
Cactus: 561–569
Cade, Brian S., *see* Zoellick, Bruce W.
Calidris alpina, see Dunlin
Calidris mauri, see Sandpiper, western
Calidris spp., see Sandpiper
California: 46–50, 109–119, 319, 360–382, 413, 429–434, 475–492, 493, 503–508, 533–541, 850–859, 1051
Calocedrus decurrens, see Cedar, incense
Calvete, Carlos, Rosa Estrada, Juan J. Osacar, Javier Lucientes, and Rafael Villafuerte. Short-term negative effects of vaccination campaigns against myxomatosis and viral hemorrhagic disease (VHD) on the survival of European wild rabbits, 198–205
Camera, video: 503–508
baiting red foxes in an urban area: a camera trap study, 1010–1017
Canada: 51–73, 138–152, 163, 174, 266–277, 318–331, 342–350, 439, 449–452, 457–469, 493, 576–584, 602–610, 799–809, 850–859, 1018–1031
Canis latrans, see Coyote
Canis lupus, see Wolf
Canopy closure: 288–298, 307–317, 383–392, 475–492, 512, 602–610, 837–849
spotted owl home-range and habitat use in young forests of western Oregon, 33–50
effects of selection cutting on bird communities in contiguous eastern hardwood forests, 51–60
mexican spotted owl nest- and roost-site habitat in northern Arizona, 1054–1064
influence of fire on Bachman's sparrow, an endemic North American songbird, 1114–1123
Capreolus capreolus, see Deer, roe
Carabidae: 299–306, 683–693
Carex mooscroftii, see Sedge, moorcraft's
Carex spp., *see* Sedge
Caribou, barren ground: 105, 126
Caribou, woodland: 106, 997
spatial separation of caribou from moose and its relation to predation by wolves, 799–809
Carpodacus purpureus, see Finch, purple
Castilleja spp., *see* Paintbrush
Castor canadensis, see Beaver
Cathartes aura, see Vulture, turkey
Catharus fuscescens, see Veery
Catharus ustulatus, see Thrush, Swainson's
Cattle: 61–73, 853, 997
influence of cattle management on habitat selection by impala on central Kenyan rangeland, 916–923
Ceanothus thrysiflorus, see Ceanothus, blue-blossom
Ceanothus, blue-blossom: 503–508
Cedar, incense: 475–492
Cedar, red: 184
Cedar, western red: 33–50, 138–152, 318–331, 405–417, 706–718, 1039–1053
Cedar, white: 257–265, 383–392
Cedar, yellow: 318–331
Centrocercus urophasianus, see Grouse, sage
Cephalanthus occidentalis, see Buttonbush
Cerambycidae: 683–693
Certhia guttatus, see Thrush, hermit
Certhis americana, see Creeper, brown
Cervus elaphus, see Deer, red
Cervus elaphus, see Elk
Cervus elaphus manitobensis, see Elk, Manitoban
Cervus elaphus nannodes, see Elk, Tule
Cervus elaphus nelsoni, see Elk, Rocky Mountain
Cervus elaphus roosevelti, see Elk, Roosevelt
Cervus nippon, see Deer, sika
Cetraria nivalis, see Lichen
Chamaecrista fasciculate, see Pea, partridge
Chamaecyparis nootkatensis, see Cedar, yellow
Chamber, Carol L., *see* Bernardos, Debra A.
Chamberlain, Michael J., *see* Henner, Chrissie M.
Chapman, Robert N., *see* Guthrey, Fred S.
Charadrius vociferous, see Killdeer
Charina trivirgata, see Snake, rosy boas
Cheetah: 991
***Cheilospirura gruveli*:** 701–707
Chekett, Michael, *see* Ballard, Bart M.
Chelydra serpentine, see Turtle, common snapping
Chelydra serpentine, see Turtle, alligator snapping
Chen caerulescens atlantica, see Goose, greater snow
Cherry, black: 278–287

Cherry, Steve, *see* Haroldson, Mark A.
———, *see* Keating, Kim A.
Chickadee, black-capped: 383–392
Chicken, domestic: 1010–1017
Chicken, greater prairie:
validity of prairie grouse harvest-age ratios as production indices, 1088–1094
Chilopoda: 683–693
Chimpanzees: 440
China: 241–246, 987–992
Chinquapin, golden: 475–492, 1039–1053
Chipmunk, least: 288–298
***Choanotaenia infundibulum*:** 701–707
Chrysolepsis chrysophylla, see Chinquapin, golden
Chrysothamnus nauseosum, see Brush, rabbit
Chrysomelidae: 683–693
Chuckwallas: 429–434
Cicadids: 299–306
Cinclus cinclus, see Dipper
Cladina alpestris, see Lichen
Clam, Alaska surf: 233–240
Clam, dwarf surf: 371–382
Clam, Nuttall's cockle: 233–240
Clam, Pacific razor:
dynamics of intertidal foraging by coastal brown bears in southwestern Alaska, 233–240
Clam, soft-shelled:
dynamics of intertidal foraging by coastal brown bears in southwestern Alaska, 233–240
Clark, Ted L., *see* Lawrence, Richard K.
Clethrionomys californicus, see Vole, western red-backed
Clethrionomys gapperi, see Vole, red-backed
Clinocardium nuttallii, see Clam, Nuttall's cockle
Cnemidophorus sonorae, see Lizard, Sonoran spotted whiptail
Cnemidophours tigris, see Lizard, western whiptail
Coarse woody debris: 22, 53–60, 288–298, 418–428
Coccothraustes vespertinus, see Grosbeak, evening
Coccyzus erythropthalmus, see Cuckoo, black-billed
Coffin, Kenneth, *see* Roffe, Thomas J.
Colaptes auratus, see Flicker, northern
Cole, Michael B., *see* Russell, Kevin R.
Coleogyne ramosissima, see Brush, black
Coleonyx variegates, see Gecko, western banded
Coleoptera: 299–306, 683–693
Colinus virginianus, see Bobwhite, northern
Collar, neck: 509–513, 542–549, 900–908, 987–992
Collazo, Jaime A., *see* Herring, Garth
Colorado: 224, 266, 288–298, 493, 542–560, 1032–1038, 1124–1129
Columba livia, see Pigeon, homing
Competition, intersexual food:
sexual and seasonal differences in the diet of Lanyu scops owls based on fecal analysis, 299–306
Competition, interspecific:
dietary overlap between Przewalski's gazelle and domestic sheep in the Qinghai Lake region and implications for rangeland management, 241–246
interspecific and intersexual variation in roost-site selection of northern long-eared and little brown bats in the Greater Fundy National Park ecosystem, 602–610
high potential for competition between guanacos and sheep in Patagonia, 924–938
Compositional analysis:
comparison of Type I error rates for statistical analyses of resource selection, 206–212
Conecuh National Forest: 1114–1123
Conn, Paul B., and William L. Kendall. Evaluating mallard adaptive management models with time series, 1065–1081
Connecticut: 253
Conner, L. Mike, *see* Godbois, Ivy A.
———, *see* Perkins, Micah W.
Conner, Mary M., *see* Norman, Gary W.
Conocarpus erecta, see Buttonwood
Conservation Reserve Program: 180
Contopus virens, see Peewee, eastern wood
Contraception:
movement behavior, dispersal, and the potential for localized management of deer in a suburban environment, 247–256
Conway, Courtney J., Christina Sulzman, and Barbara E. Raulston. Factors affecting detection probability of California black rails, 360–370
Cooke, Fred, *see* Bradley, Russell W.
Cooley, Dorothy, *see* Krebs, John
Coot, American: 338–339
Copeland, Jeffrey, *see* Krebs, John
Cophosaurus sonorae, see Lizard, greater earless
Corn: 514–518
Corn crake: 318
Cornus spp., *see* Dogwood
Cortisol: 987–992
Corvus brachyrhynchos, see Crow, American
Corvus corone, see Crow, carrion
Cottonwood, black: 706–718
Cougar, *see* Lion, mountain
Cowbird, brown-headed: 725–732
Cox, Robert R., Jr., *see* Krapu, Gary L.
Cox, Scott A., Alan D. Peoples, Stephen J. DeMaso, Jeffrey J. Lusk, and Fred S. Guthery. Survival and cause-specific mortality of northern bobwhites in western Oklahoma, 663–671
Coyote: 120–128, 154, 342–350, 439, 520, 633–541, 550–569, 650–671
spatial ecology of coyotes along a suburban-to-rural gradient, 1000–1009
***Crachylaemus* sp.:** 701–707
Craig, Gerald R., Gary C. White, and James H. Enderson. Survival, recruitment, and rate of population change of the peregrine falcon population in Colorado, 1032–1038
Crayfish, signal: 405–417
Creeper, brown: 51–60, 383–392
Creosote: 561–569
Crews, Andrea K., *see* Guthrey, Fred S.
Crex crex, see Corn crake
Crops: 61–73
Crotalus mollossus, see Rattlesnake, blacktail

Crotalus tigris, see Rattlesnake, tiger
Croton pottsii, see Croton, leather-weed
Croton, leather-weed: 561–569
Crow, American:
responses of American crow populations to campgrounds in remote native forest landscapes, 706–718
Crow, carrion: 1010–1017
CRP, *see* Conservation Reserve Program
Cuckoo, black-billed: 383–392
Curculionidae: 683–693
Curtis, Paul D., and Paul G. Jensen. Habitat features affecting beaver occupancy along roadsides in New York state, 278–287
CWD, *see* Coarse woody debris
Cyanocitta cristata, see Jay, blue
Cynomys gunnison, see Prairie dog, Gunnison's
Cynomys leucurus, see Prairie dog, Utah
Cynomys leucurus, see Prairie dog, white-tailed
Cynomys ludovicianus, see Prairie dog, black-tailed
Cynomys mexicanus, see Prairie dog, Mexican
***Cyperus* spp.:** 371–382
***Cyrnea seurati*:** 701–707
Czekala, Nancy, *see* Durnin, Matthew E.

D

Dahomey National Wildlife Refuge: 223–232
Dailey, Thomas V., *see* Guthrey, Fred S.
Dale, Svein. Effects of a golf course on population dynamics of the endangered ortolan bunting, 719–724
Dama dama, see Deer, fallow
Dandelion, common: 288–298
Dandelion, false: 470–474
Davis, Donald, *see* Roffe, Thomas J.
Davis, Stephen A., *see* Jacob, Jens
Deer, black-tailed: 493–502
recruitment dynamics of black-tailed deer in the western cascades, 120–128
survival, cause-specific mortality, and harvesting of male black-tailed deer in Washington, 870–878
Deer, desert mule: Desert mule deer survival in southwest Texas, 561–569
Deer, fallow: 543
Deer, Florida Key:
population density of the endangered Florida Key deer, 570–575
a tale of two species: habitat conservation plans as bounded conflict, 743–761
habitat-use patterns of Florida Key deer: implications of urban development, 900–908
Deer, mule: 120, 154, 169, 266, 529, 968
habitat selection by mule deer: foraging benefits or risk of predation?, 533–541
long-term trends in mule deer pregnancy and fetal rates in Colorado, 542–549
neonatal mule deer fawn survival in west-central Colorado, 550–560
desert mule deer survival in southwest Texas, 561–569
habitat-use patterns of Florida Key deer: implications of urban development, 900–908
Deer, red: 543, 825
resource use by red deer in lowland nonnative forests, Hungary, 879–888
Deer, roe: 126
Deer, sika:
irruption of a colonizing sika deer population, 889–899
Deer, Sitka black-tailed: 134
Deer, white-tailed: 120, 153–155, 394, 493–502, 556, 585–594, 799–809, 1130
factors correlated with foraging behavior of wolves in and near Glacier National Park, Montana, 167–178
movement behavior, dispersal, and the potential for localized management of deer in a suburban environment, 247–256
localized management of white-tailed deer in the central Adirondack Mountains, New York, 257–265
effectiveness of a selective harvest system in regulating deer populations in Ontario, 266–277
integrating wildlife and human-dimensions research methods to study hunters, 762–773
reporting-rate variability and precision of white-tailed deer harvest estimates in Pennsylvania, 860–869
Delta National Forest: 223–232
Demarais, Stephen, *see* Lawrence, Richard K.
DeMaso, Stephen J., *see* Cox, Scott A.
———, *see* Guthrey, Fred S.
Den cavity: 595–601
a multi-resolution assessment of raccoon den selection, 179–187
Den: Resting habitat selection by fishers in California, 475–492
Dendrocia pensylvanica, see Warbler, chestnut-sided
Dendroica caerulescens, see Warbler, black-throated blue
Dendroica coronata, see Warbler, yellow-rumped
Dendroica fusca, see Warbler, blackburnian
Dendroica kirtlandii, see Warbler, Kirtland's
Dendroica magnolia, see Warbler, magnolia
Dendroica virens, see Warbler, black-throated green
Density dependence: 120–128, 889–899
Deplazes, Peter, *see* Hegglin, Daniel
Desmognathus conanti, see Salamander, Desmognathus
Desmognathus fuscus, see Salamander, Desmognathus
Desmognathus imitator, see Salamander, Desmognathus
Desmognathus ocoee, see Salamander, Desmognathus
Desmognathus santeelah, see Salamander, Desmognathus
Desmognathus wrighti, see Salamander, Desmognathus
DeSoto National Forest: 223–232
Detection probability: Spatial and temporal variation in detection probability of Plethodon salamanders using robust capture–recapture design, 14–24
Dicamptodon tenebrosus, see Salamander, Pacific giant
***Dicrocoelium* sp.:** 701–707
Diefenbach, Duane R., Jeffrey L. Laake, and Gary L. Alt. Spatio-temoral and demographic variation in the harvest of black bears: implications for population estimation, 947–959
———, *see* Rosenberry, Christopher S.
———, *see* Stedman, Richard

Diet: 383–392
waterbird foods in winter-managed ricefields in Mississippi, 74–83
factors correlated with foraging behavior of wolves in and near Glacier National Park, Montana, 167–178
dynamics of intertidal foraging by coastal brown bears in southwestern Alaska, 233–240
sexual and seasonal differences in the diet of Lanyu scops owls based on fecal analysis, 299–306
diet and nutrition of northern pintails wintering along the southern coast of Texas, 371–382
habitat selection by mule deer: foraging benefits or risk of predation?, 533–541
comparative diets of adult and young three-toed woodpeckers in a European alpine forest community, 683–693
resource use by red deer in lowland nonnative forests, Hungary, 879–888
high potential for competition between guanacos and sheep in Patagonia, 924–938
Diplopoda: 683–693
Dipper: 300
Diptera: 683–693
Disease: 188–205, 550–560, 1136
a comparison of the helminth faunas of wild and farm-reared red-legged partridge, 701–707
efficacy of single calfhood vaccination of elk with *Brucella abortus* strain 19, 830–836
Disease, epizootic hemorrhagic: 550–560
Disease, viral hemorrhagic:
short-term negative effects of vaccination campaigns against myxomatosis and viral hemorrhagic disease (VHD) on the survival of European wild rabbits, 198–205
Disturbance, human: 909–915, 1151–1158
effects of infrastructure on migration and range use of wild reindeer, 101–108
estimating grizzly bear distribution and abundance relative to habitat and human influence, 138–152
movement behavior, dispersal, and the potential for localized management of deer in a suburban environment, 247–256
patterns of density and survival in small mammals in ski runs and adjacent forest patches, 288–298
harvest parameters of urban and rural mourning doves in Ohio, 694–700
responses of American crow populations to campgrounds in remote native forest landscapes, 706–718
effects of a golf course on population dynamics of the endangered ortolan bunting, 719–724
efficacy of aircraft landing lights in stimulating avoidance behavior in birds, 725–732
integrating wildlife and human-dimensions research methods to study hunters, 762–773
spatial separation of caribou from moose and its relation to predation by wolves, 799–809
habitat-use patterns of Florida Key deer: implications of urban development, 900–908
do individual differences influence flight initiation distance?, 1124–1129
DNA: 109–119, 138–152, 439–456, 960–965
DNA, microsatellite:
microsatellite DNA variation in Tule elk, 109–119
genetic errors associated with population estimation using non-invasive molecular tagging: problems and new solutions, 439–448
providing reliable and accurate genetic capture–mark–recapture estimates in a cost-effective way, 453–456
genetic monitoring of Scandinavian brown bear effective population size and immigration, 960–965
Dogwood: 278–287
Dogwood, Jamaican: 570–575
Douglass, Nancy, *see* Millsap, Brian
Dove, mourning: 725–732
harvest parameters of urban and rural mourning doves in Ohio, 694–700
Dovkies: 627–638
Doyle, Meaghan C., *see* Rittenhouse, Tracey A. G.
Draceocephalum heterophyllum, see Lespedeza heterophyllum
Dragon, Hungarian horntail: 774–789
Drew, Mark L., *see* Roffe, Thomas J.
Drickamer, Lee C., *see* Wagner, David M.
Drought: 561–569
Drummer, Thomas D., *see* Smith, Douglas W.
Dryocopus pileatus, see Woodpecker, pileated
Dryopteris spinulosa, see Fern, spinulose wood
Duck, black: 90
Duck, mallard: 80, 84, 332–341, 585–594, 650–662, 695
effects of predator removal on mallard duckling survival, 342–350
mallard harvest distributions in the Atlantic and Mississippi Flyways during periods of restrictive and liberal hunting regulations, 351–359
evaluating mallard adaptive management models with time series, 1065–1081
Duck, redhead: 378
Duck, ruddy: 339
Duck, wood: Habitat use and preferences of breeding female wood ducks, 84–93
Dunlin:
marine and agricultural habitat preferences of Dunlin wintering in British Columbia, 61–73
Dunn, Erica H., *see* Bart, Jonathan
Dunn, William C., *see* Rominger, Eric M.
Durnin, Matthew E., Ronald R. Swaisgood, Nancy Czekala, and Zhang Hemin. Effects of radiocollars on giant panda stress-related behavior and hormones, 987–992

E

Eagle, bald:
comparative fecundity and survival of bald eagles fledged from suburban and rural natal areas in Florida, 1018–1031
Eagle, imperial: 198–205
Echinichloa crusgalli, see Millet, wild
Echinococcus multilocularis, see Worm, tape

Elasticity: 585–594
Elateridae: 683–693
Elderberry: 470–474
***Elecharis* spp.:** 371–382
Elephant, African: 1130
Elevation:
spatial and temporal variation in detection probability of Plethodon salamanders using robust capture–recapture design, 14–24
distribution and habitat of Columbian torrent salamanders at multiple spatial scales in managed forests of northwestern Oregon, 405–417
Elk: 120, 275, 493–502, 542, 966–978
possible effects of elk harvest on fall distribution of grizzly bears in the Greater Yellowstone Ecosystem, 129–137
winter prey selection and estimation of wolf kill rates in Yellowstone National Park, 1995–2000, 153–166
factors correlated with foraging behavior of wolves in and near Glacier National Park, Montana, 167–178
efficacy of single calfhood vaccination of elk with *Brucella abortus* strain 19, 830–836
effects of elk herbivory on vegetation and nitrogen processes, 837–849
Elk, Manitoban: 109–119
Elk, Rocky Mountain: 109–119
Elk, Roosevelt: 110
Elk, Tule: Microsatellite DNA variation in Tule elk, 109–119
Elston, David, *see* Baldi, Ricardo
***Elymus nutans*:** 241–246
Elzer, Philip H., *see* Roffe, Thomas J.
Emigration: 719–724, 1032–1038, 1082–1087
estimating detection probability parameters for Plethodon salamanders using the robust capture–recapture design, 1–13
spatial and temporal variation in detection probability of Plethodon salamanders using robust capture–recapture design, 14–24
Empidonax minimus, see Flycatcher, least
Enderson, James H., *see* Craig, Gerald R.
Energy, true metabolizable: Diet and nutrition of northern pintails wintering along the southern coast of Texas, 371–382
Ephedra nevadensis, see Tea, Mormon
Ephedtra, intermediate: 241–246
Ephera intermedia, see Ephedtra, intermediate
Eptesicus fuscus, see Bat, big brown
Equisetum arvense, see Horestail
Equus caballus, see Horse
Erethizon dorsatum, see Porcupine
Eretmochelys imbricate, see Turtle, Hawksbill sea
Erinaceus europaeus, see Hedgehog
Error, Type I: 611–626
comparison of Type I error rates for statistical analyses of resource selection, 206–212
Error, Type II: 611–626
Estimator, population: 1082–1087
genetic errors associated with population estimation using non-invasive molecular tagging: problems and new solutions, 439–448
the optimal number of markers in genetic capture–mark–recapture studies, 449–452
providing reliable and accurate genetic capture–mark–recapture estimates in a cost-effective way, 453–456
sampling design and bias in DNA-based capture–mark–recapture population and density estimates of grizzly bears, 457–469
goals and strategies for estimating trends in landbird abundance, 611–626
estimating the size of the greater snow goose population, 639–649
estimating calling rates of northern bobwhite coveys and measuring abundance, 672–682
spatio-temporal and demographic variation in the harvest of black bears: implications for population estimation, 947–959
Estimator, Lincoln-Petersen: 947–959
Estimator, Horvitz-Thompson: 947–959
Estrada, Rosa, *see* Calvete, Carlos
Euclidean distance:
comparison of Type I error rates for statistical analyses of resource selection, 206–212
habitat use of fox squirrels in southwestern Georgia, 509–513
***Eucoleus contortus*:** 701–707
Europe: 683–693
Euxoa auxiliaris, see Moth, army cutworm
Evans, Shaney B., *see* Smith, Douglas W.
Extinction: 519–532, 790–798

F

Fagus crenata, see Beechnut
Fagus grandifolia, see Beech, American
Fairchild, Michael W., *see* Kunkel, Kyran E.
Falco peregrinus, see Falcon, peregrine
Falcon, peregrine: 70, 611
survival, recruitment, and rate of population change of the peregrine falcon population in Colorado, 1032–1038
False absences:
reducing false absences in survey data: detection probabilities of red-backed salamanders, 418–428
Feces: 241–246, 533–541, 683–693, 837–849, 879–888, 924–938
sexual and seasonal differences in the diet of Lanyu scops owls based on fecal analysis, 299–306
Felis concolor, see Lion, mountain
Fellers, Gary M., David Pratt, and Jennifer L. Griffin. Fire effects on the Point Reyes mountain beaver at Point Reyes National Seashore, California, 503–508
Fendrick, R. Lyle, *see* Scott, David P.
Fern, spinulose wood: 383–392
Fern, sword: 405–417, 503–508
Fescue, Arizona: 188–197
Festuca arizonica, see Fescue, Arizona
Finch, purple: 383–392

Findlay, C. Scott, *see* Giles, Brian G.
Finley, James C., *see* Stedman, Richard
Fir, balsam: 51–60, 257–265, 383–392, 576–584, 602–610
Fir, Douglas: 33–50, 138–152, 167–178, 188–197, 295, 307–331, 405–417, 470–492, 503–508, 542–549, 706–718, 966–978, 1039–1064
Fir, grand: 405–417, 1039–1053
Fir, noble: 405–417
Fir, red: 475–492
Fir, subalpine: 138–152, 167–178, 288–298, 966–978
Fir, white: 475–492, 1054–1064
Fire: 509
fire effects on the Point Reyes mountain beaver at Point Reyes National Seashore, California, 503–508
influence of fire on Bachman's sparrow, an endemic North American songbird, 1114–1123
Fish: 129, 233, 969–978
Fisher: 449–452
resting habitat selection by fishers in California, 475–492
Fitzpatrick, Thomas A., *see* Mooring, Michael S.
Flammasaurus cerocaudus, see Dragon, Hungarian horntail
Flanders-Wanner, Bridgette L., Gary C. White, and Leonard L. McDaniel. Validity of prairie grouse harvest-age ratios as production indices, 1088–1094
Flaspohler, David J., *see* Bub, Brian R.
Flicker, northern: 383–392
Flight initiation distance:
do individual differences influence flight initiation distance?, 1124–1129
Flooding: 74–83
Florida: 672–682, 743–761, 900–915, 1018–1031, 1082–1087, 1114–1123
Flush distance: 1124–1129
Flycatcher: 300
Flycatcher, great-crested: 383–392, 706–718
Flycatcher, least: 51–60, 383–392, 706–718
Flyway, Atlantic: 351–359, 1082–1087
Flyway, Central: 371–382
Flyway, Mississippi: 351–359
Foraging: 383–392, 522, 837–849, 916–923
factors correlated with foraging behavior of wolves in and near Glacier National Park, Montana, 167–178
dynamics of intertidal foraging by coastal brown bears in southwestern Alaska, 233–240
habitat selection by mule deer: foraging benefits or risk of predation?, 533–541
Forbes, Graham J., *see* Broders, Hugh G.
Forest management: 1–13, 138–152, 383–392, 1054–1064
spotted owl home-range and habitat use in young forests of western Oregon, 33–50
effects of selection cutting on bird communities in contiguous eastern hardwood forests, 51–60
localized management of white-tailed deer in the central Adirondack Mountains, New York, 257–265
distribution and habitat of Columbian torrent salamanders at multiple spatial scales in managed forests of northwestern Oregon, 405–417
efficacy of black bear supplemental feeding to reduce conifer damage in western Washington, 470–474
responses of American crow populations to campgrounds in remote native forest landscapes, 706–718
resource use by red deer in lowland nonnative forests, Hungary, 879–888
modeling demographic performance of northern spotted owls relative to forest habitat in Oregon, 1039–1053
influence of fire on Bachman's sparrow, an endemic North American songbird, 1114–1123
substrate cues influence habitat selection by spotted salamanders, 1151–1158
interpretation of silvicultural terminology in wildlife research and management: the example of Webb et al. (1977), 1159–1160
Forest, old-growth: 307–317, 405–417, 1054–1064
Formicidae: 299–306, 683–693
Forsman, Eric D., *see* Olson, Gail S.
Fox, gray: 663–671
Fox, red: 198–205, 342–350, 650–662, 997, 1007, 1130, 1138
baiting red foxes in an urban area: a camera trap study, 1010–1017
Fox, swift: 663–671
Francis, Charles M., *see* Bart, Jonathan
Frank, Philip A., *see* Harveson, Patricia M.
———, *see* Lopez, Roel R.
Fraxinus americana, see Ash, white
Fulica americana, see Coot, American
Functional response: 167–178
Fungus, heart rot: 595–601
Furze: 198–205

G

Gadwall: 332–341, 348, 378
Gallinago gallinago, see Snipe, common
Gallus gallus, see Chicken, domestic
Gastropoda: 371–382, 683–693
Gauthier, Gilles, *see* Bechet, Arnaud
Gazelle, Przewalski's:
dietary overlap between Przewalski's gazelle and domestic sheep in the Qinghai Lake region and implications for rangeland management, 241–246
Gecko, western banded: 429–434
Gehring, Thomas M., *see* Atwood, Todd C.
Geisser, Hannes, and Heinz-Ulrich Reyer. Efficacy of hunting, feeding, and fencing to reduce crop damage by wild boars, 939–946
Genetic diversity: 109–119
Genetics:
genetic errors associated with population estimation using non-invasive molecular tagging: problems and new solutions, 439–448
the optimal number of markers in genetic capture-mark-recapture studies, 449–452
providing reliable and accurate genetic capture–mark–recapture estimates in a cost-effective way, 453–456
use of population viability analysis to identify management priorities and success in reintroducing

Przewalski's horses to southwestern Mongolia, 790–798
genetic variability of reintroduced California bighorn sheep in Oregon, 850–859
genetic monitoring of Scandinavian brown bear effective population size and immigration, 960–965
Genista scorpius, see Furze
Geographical Information System: 33–73, 84–93, 129–137, 167–197, 223–232, 257–265, 307–317, 405–417, 509–518, 533–541, 576–584, 762–773, 799–809, 837–849, 900–908, 966–978, 1000–1009, 1039–1053, 1145–1150
Geology:
distribution and habitat of Columbian torrent salamanders at multiple spatial scales in managed forests of northwestern Oregon, 405–417
effects of destructive collecting practices on reptiles: a field experiment, 429–434
Georgia: 84–93, 402, 509–513
Gerard, Patrick D., *see* Manley, Scott W.
Germany: 683–693
Gilbert, Brian A., and Kenneth J. Raedeke. Recruitment dynamics of black-tailed deer in the western cascades, 120–128
Giles, Brian G., and C. Scott Findlay. Effectiveness of a selective harvest system in regulating deer populations in Ontario, 266–277
Gill, Duane A., *see* Bowman, Jacob L.
Giroux, Jean-François, *see* Béchet, Arnaud
GIS, *see* Geographical Information System
Glacier National Park: 167–178
Gland, thymus: 550–560
Glaucomys sabrinus, see Squirrel, northern flying
Glenn, Elizabeth M., Michael C. Hansen, and Robert G. Anthony. Spotted owl home-range and habitat use in young forests of western Oregon, 33–50
Glenn, Elizabeth M., *see* Olson, Gail S.
Global Positioning System: 1–13, 61–73, 101–108, 153–197, 307–317, 514–518, 522, 576–584, 706–718, 762–773, 1039–1053
Gloor, Sandra, *see* Hegglin, Daniel
Goat, mountain: 154, 493–502
Godbois, Ivy A., L. Mike Conner, and Robert J. Warren. Space-use patterns of bobcats relative to supplemental feeding of northern bobwhites, 514–518
Golden, Howard, *see* Krebs, John
Golf courses: 719–724
Goode, Mathew J., Don E. Swann, and Cecil R. Schwalbe. Effects of destructive collecting practices on reptiles: a field experiment, 429–434
Goose, Canada: 650–662, 725–732
Goose, greater snow:
estimating the size of the greater snow goose population, 639–649
Goose, snow: 11, 75
Gopherus aggassizzi, see Tortoise, desert
Gortazar, Christian, *see* Millán, Javier
Goshawk, European: 30
Goshawk, northern: 295
effects of radiotransmitters on northern goshawks: do tailmounts lower survival of breeding males?, 25–32
habitat associations of sympatric red-tailed hawks and northern goshawks on the Kaibab Plateau, 307–317
GPS, *see* Global Positioning System
Grackle, common: 383–392
Grama: 561–569
Grand Canyon National Park: 25–32
Grand, James B., *see* Tucker, James W., Jr.
Graptemys pseudogeographica, see Turtle, false map
Grass, big bluestem: 94–100, 1088–1094, 1114–1123, 1151–1158
Grass, brome: 188–197
Grass, cane bluestem: 561–569
Grass, cheat: 533–541
Grass, Indian: 94–100, 1088–1094, 1151–1158
Grass, little bluestem: 94–100, 1088–1094, 1114–1123, 1151–1158
Grass, purple needle: 241–246
Grass, shinning spear: 241–246
Grass, shoal: 371–382
Grass, switch: 94–100
Grass, wigeon: 371–382
Grassland: 94–100, 1088–1094
Great Smokey Mountain National Park: 1–24
Greater Fundy National Park Ecosystem: 602–610
Greater Yellowstone Ecosystem: 826, 830–836
possible effects of elk harvest on fall distribution of grizzly bears in the Greater Yellowstone Ecosystem, 129–137
winter prey selection and estimation of wolf kill rates in Yellowstone National Park, 1995–2000, 153–166
modeling survival: application of the Andersen-Gill model to Yellowstone grizzly bears, 966–978
Grebe, pie-billed: 339
Griffin, Jennifer, *see* Fellers, Gary M.
Grosbeak, evening: 383–392
Grosbeak, rose-breasted: 51–60, 383–392
Grouse, prairie:
validity of prairie grouse harvest-age ratios as production indices, 1088–1094
Grouse, ruffed: 184
Grouse, sage: 611
Grouse, sharp-tailed:
validity of prairie grouse harvest-age ratios as production indices, 1088–1094
Grubb, Teryl G., *see* La Sorte, Frank
Gryllacrids: 299–306
Gryllids: 299–306
Guanaco:
high potential for competition between guanacos and sheep in Patagonia, 924–938
Guernsey, Debra S., *see* Smith, Douglas W.
Gull, herring: 725–732
Gulo gulo, see Wolverine
Guthrey, Fred S., Andrea K. Crews, Jeffrey J. Lusk, Robert N. Chapman, and Mike Sams. Effects of bag limits on bobwhite hunters and harvest, 1095–1103
———, Markus J. Peterson, Jeffrey J. Lusk, Michael J.

Rabe, Stephen J. DeMaso, Mike Sams, Roger D. Applegate, and Thomas V. Dailey. Multi-state analysis of fixed, liberal regulations in quail harvest management, 1104–1113
———, *see* Cox, Scott A.
Gutiérrez, R. J., *see* May, Christopher A.

H

Habitat Conservation Plan: 743–761, 900–908
Habitat fragmentation: 45–50, 94–100, 288–298, 307–317, 900–915, 1000–1009
Habitat selection: 383–392, 429–434, 966–978, 1039–1053, 1114–1123, 1151–1158
spotted owl home-range and habitat use in young forests of western Oregon, 33–50
marine and agricultural habitat preferences of Dunlin wintering in British Columbia, 61–73
habitat use and preferences of breeding female wood ducks, 84–93
estimating grizzly bear distribution and abundance relative to habitat and human influence, 138–152
a multi-resolution assessment of raccoon den selection, 179–187
abiotic habitat correlates of Gunnison's prairie dog in Arizona, 188–197
habitat features affecting beaver occupancy along roadsides in New York state, 278–287
habitat associations of sympatric red-tailed hawks and northern goshawks on the Kaibab Plateau, 307–317
distribution and habitat of Columbian torrent salamanders at multiple spatial scales in managed forests of northwestern Oregon, 405–417 Resting habitat selection by fishers in California, 475–492
habitat use of fox squirrels in southwestern Georgia, 509–513
moose habitat preferences in response to changing availability, 576–584
use and interpretation of logistic regression in habitat-selection studies, 774–789
habitat-use patterns of Florida Key deer: implications of urban development, 900–908
source-sink dynamics of Florida Key deer on Big Pine Key, Florida, 909–915
influence of cattle management on habitat selection by impala on central Kenyan rangeland, 916–923
mexican spotted owl nest- and roost-site habitat in northern Arizona, 1054–1064
Habitat Suitability Index: 576–584
Hackberry, western: 879–888
Hadley, Gillian L., and Kenneth R. Wilson. Patterns of density and survival in small mammals in ski runs and adjacent forest patches, 288–298
Haematopus ostralegus, see Oystercatcher
Hagius, Susan D., *see* Roffe, Thomas J.
Haliaeetus leucocephalus, see Eagle, bald
Halichoerus grypus, see Seal, grey
Halodule wrightii, see Grass, shoal
Hansen, Michael C., *see* Glenn, Elizabeth M.
Hare, snowshoe: 493–502
Haroldson, Mark A., Charles C. Schwartz, Steve Cherry, and David S. Moody. Possible effects of elk harvest on fall distribution of grizzly bears in the Greater Yellowstone Ecosystem, 129–137
———, *see* Johnson, Chris J.
Hartke, Kevin M., and Gary R. Hepp. Habitat use and preferences of breeding female wood ducks, 84–93
Harveson, Patricia M., Roel R. Lopez, Nova J. Silvy, and Philip A. Frank. Source-sink dynamics of Florida Key deer on Big Pine Key, Florida, 909–915
Harvest: 74–83, 153–166, 198–205, 247–265, 561–569, 947–959, 979–986
winter survival and additive harvest in northern bobwhite coveys in Kansas, 94–100
possible effects of elk harvest on fall distribution of grizzly bears in the Greater Yellowstone Ecosystem, 129–137
effectiveness of a selective harvest system in regulating deer populations in Ontario, 266–277
mallard harvest distributions in the Atlantic and Mississippi Flyways during periods of restrictive and liberal hunting regulations, 351–359
effects of fall hunting on survival of male wild turkeys in Virginia and West Virginia, 393–404
effects of destructive collecting practices on reptiles: a field experiment, 429–434
synthesis of survival rates and causes of mortality in North American wolverines, 493–502
harvest parameters of urban and rural mourning doves in Ohio, 694–700
integrating wildlife and human-dimensions research methods to study hunters, 762–773
population dynamics of the Jackson elk herd, 810–829
reporting-rate variability and precision of white-tailed deer harvest estimates in Pennsylvania, 860–869
survival, cause-specific mortality, and harvesting of male black-tailed deer in Washington, 870–878
efficacy of hunting, feeding, and fencing to reduce crop damage by wild boars, 939–946
validity of prairie grouse harvest-age ratios as production indices, 1088–1094
effects of bag limits on bobwhite hunters and harvest, 1095–1103
multi-state analysis of fixed, liberal regulations in quail harvest management, 1104–1113
passive fishing techniques: a cause of turtle mortality in the Mississippi River, 1145–1150
Haskell, Shawn P., *see* Lawrence, Richard K.
Hawk, Cooper's: 663–671
Hawk, red-tailed: 663–671
habitat associations of sympatric red-tailed hawks and northern goshawks on the Kaibab Plateau, 307–317
Hawk, sharp-shinned: 663–671
Hebert, Daryll M., *see* James, Adam R. C.
Hegglin, Daniel, Fabio Bontadina, Sandra Gloor, Jann Romer, Uli Müller, Urs Breitenmoser, and Peter Deplazes. Baiting red foxes in an urban area: a camera trap study, 1010–1017

Hedgehog: 1010–1017
Helicopter: 138–152, 318–331, 457–469, 561–569, 576–584, 993–999
Helminths: 701–707
Hemin, Zhang, *see* Durnin, Matthew E.
Hemiptera: 299–306
Hemlock, eastern: 51–60, 247–265, 383–392
Hemlock, mountain: 138–152, 318–331
Hemlock, western: 33–50, 138–152, 318–331, 405–417, 470–474, 706–718, 1039–1053
Henner, Chrissie M., Michael J. Chamberlain, Bruce D. Leopold, and L. Wes Burger, Jr. A multi-resolution assessment of raccoon den selection, 179–187
Hepp, Gary R., *see* Hartke, Kevin M.
Heracleum lanatum, see Parsnip, cow
Herawati, Nur Aini, *see* Jacob, Jens
Herring, Garth, and Jaime A. Collazo. Winter survival of lesser scaup in east-central Florida, 1082–1087
***Heterakis gallinarum*:** 701–707
***Heterakis tenuicauda*:** 701–707
Heterogeneity: 457–469, 947–959
Heteroptera: 683–693
Heterozygosity: 109–119, 850–859
Hewitt, David G., *see* Ballard, Bart M.
Hibernation: 129–137, 188–197
Hiltz, Michelle N., *see* Osko, Terrance J.
Holly Spring National Forest: 223–232
Home range: 167–178, 238–240, 257–265, 576–584, 706–718
- spotted owl home-range and habitat use in young forests of western Oregon, 33–50
- marine and agricultural habitat preferences of Dunlin wintering in British Columbia, 61–73
- habitat use and preferences of breeding female wood ducks, 84–93
- effects of infrastructure on migration and range use of wild reindeer, 101–108
- a multi-resolution assessment of raccoon den selection, 179–187
- movement behavior, dispersal, and the potential for localized management of deer in a suburban environment, 247–256
- habitat use of fox squirrels in southwestern Georgia, 509–513
- space-use patterns of bobcats relative to supplemental feeding of northern bobwhites, 514–518
- spatial ecology of coyotes along a suburban-to-rural gradient, 1000–1009
- effects of imposed sterility on movement patterns of female ricefield rats, 1138–1144

Homochitto National Forest: 223–232
Homoptera: 299–306, 683–693
Homoscedasticity: 51–60
Hormones: 987–992
Horse: 241, 790–798, 1130
Horse, Przewalski's:
- use of population viability analysis to identify management priorities and success in reintroducing Przewalski's horses to southwestern Mongolia, 790–798

Horsetail: 470–474
Huckins, Casey J. F., *see* Bub, Brian R.
Huckleberry: 457–474
Huckleberry, red: 405–417
Hudson, Robert J., *see* Osko, Terrance J.
Huechys spp., *see* Cicadids
Hummingbird, ruby-throated: 383–392
Hungary: 879–888
Hunter, Christine M., and Michael C. Runge. The importance of environmental variability and management control error to optimal harvest policies, 585–594
Hymenoptera: 299–306
Hypochaeris radicata, see Dandelion, false

I

Idaho: 493, 650–662, 966–978
Illinois: 1145–1150
Immigration:
- movement behavior, dispersal, and the potential for localized management of deer in a suburban environment, 247–256
- genetic monitoring of Scandinavian brown bear effective population size and immigration, 960–965

Impala:
- influence of cattle management on habitat selection by impala on central Kenyan rangeland, 916–923

Indiana: 1000–1009
Indonesia: 1130–1144
Invertebrates, aquatic:
- waterbird foods in winter-managed ricefields in Mississippi, 74–83

***Ips typographus*:** 683–693
Iris, Chinese: 241–246
Iris lacteal, see Iris, Chinese
Islands: 650–662

J

Jacob, Jens, Nur Aini Herawati, Stephen A. Davis, and Grant R. Singleton. The impact of sterilized females on enclosed populations of ricefield rats, 1130–1137
———, Justianus Matulessy, and Sudarmaji. Effects of imposed sterility on movement patterns of female ricefield rats, 1138–1144
James, Adam R. C., Stan Boutin, Daryll M. Hebert, and A. Blair Rippin. Spatial separation of caribou from moose and its relation to predation by wolves, 799–809
Japalura spp., *see* Lizard, agamid
Japan: 979–986
Jay, blue: 51–60, 383–392
Jensen, Paul G., *see* Curtis, Paul D.
Jiang, Zhigang, *see* Liu, Bingwan
Jobes, Andrew P., Erica Nol, and Dennis R. Voigt. Effects of selection cutting on bird communities in contiguous eastern hardwood forests, 51–60
Johnson, Chris J., Mark S. Boyce, Charles C. Schwartz,

and Mark A. Haroldson. Modeling survival: application of the Andersen-Gill model to Yellowstone Grizzly Bears, 966–978
Johnson, Larue W., *see* Andelt, William F.
Jones, Lee C., *see* Roffe, Thomas J.
Jordhøy, Per, *see* Vistnes, Ingunn
Joy, Suzanne M., *see* Reynolds, Richard T.
Juniper virginiana, see Cedar, red
Juniper, alligator: 595–601
Juniper, Utah: 595–601
Juniperus deppeana, see Juniper, alligator
Juniperus osteosperma, see Juniper, Utah
Juniperus osteosperma, see Pine, Utah

K

Kaczensky, Petra, *see* Slotta-Bachmayr, Leopold
Kaji, Koichi, Hideaki Okada, Masami Yamanaka, Hiroyuki Matsuda, and Tsuneaki Yabe. Irruption of a colonizing sika deer population, 889–899
Kaminski, Richard M., *see* Manley, Scott W.
Kansas: 94–100, 1092, 1104–1113
Katmai National Park: 233–240
Katona, Krisztián, *see* Mátrai, Katalin
Keating, Kim A., and Steve Cherry. Use and interpretation of logistic regression in habitat-selection studies, 774–789
Kendall, William L., *see* Conn, Paul B.
Kenya: 916–923
Killdeer: 74–83
Kinglet, golden-crowned: 383–392
Krapu, Gary L., Pamela J. Pietz, David A. Brandt, and Robert R. Cox, Jr. Does presence of permanent fresh water affect recruitment in prairie-nesting dabbling ducks?, 332–341
Krebs, John, Eric Lofroth, Jeffrey Copeland, Vivian Banci, Dorothy Cooley, Howard Golden, Audrey Magoun, Robert Mulders, and Brad Shults. Synthesis of survival rates and causes of mortality in North American wolverines, 493–502
Kristin, Anton, *see* Pechacek, Peter
Kunkel, Kyran E., Daniel H. Pletscher, Diane K. Boyd, Robert R. Ream, and Michael W. Fairchild. Factors correlated with foraging behavior of wolves in and near Glacier National Park, Montana, 167–178

L

La Sorte, Frank A., R. William Mannan, Richard T. Reynolds, and Teryl G. Grubb. Habitat associations of sympatric red-tailed hawks and northern goshawks on the Kaibab Plateau, 307–317
Laake, Jeffrey L., *see* Diefenbach, Duane R.
Laguncularia racemosa, see Mangrove, white
Lama guanicoe, see Guanaco
Lampropeltis pyromelana, see Snake, mountain king
Lance, Pacific sand: 318–331
Lank, David B., *see* Sheperd, Philippa C. F.
Larch, alpine: 138–152
Larch, western: 138–152, 167–178
Larix laricina, see Tamarack
Larix lyalli, see Larch, alpine
Larix occidentalis, see Larch, western
Larrea tridentata, see Creosote
Larus argentatus, see Gull, herring
Lasionycteris noctivagans, see Bat, silver-haired
Laterallus jamaicensis coturniculus, see Rail, California black
Laterallus jamaicensis jamaicensis, see Rail, eastern black
Lawrence, Richard K., Stephen Demarais, Rick A. Relyea, Shawn P. Haskell, Warren B. Ballard, and Ted L. Clark. Desert mule deer survival in southwest Texas, 561–569
Lee, Ya-Fu, and Lucia Liu Severinghaus. Sexual and seasonal differences in the diet of Lanyu scops owls based on fecal analysis, 299–306
Leopold, Bruce D., *see* Bowman, Jacob L.
——, *see* Henner, Chrissie M.
Lepidoptera: 683–693
Leporid spp., see Rabbit
Lepus americanus, see Hare, snowshoe
Lespedeza heterophyllum: 241–246
Leymus secalinus, see Leymus, common
Leymus, common: 241–246
Libellulids: 299–306
Lichen: 101–108
Limbo, gumbo: 570–575
Lion, mountain: 124, 154, 519–541, 561–569
the influence of mountain lion predation on bighorn sheep translocations, 993–999
Lipid, endogenous: 371–382
Lithocarpus densiflora, see Oak, tan
Liu Sveringhaus, Lucia, *see* Lee, Ya-Fu
Liu, Bingwan, and Zhigang Jiang. Dietary overlap between Przewalski's gazelle and domestic sheep in the Qinghai Lake region and implications for rangeland management, 241–246
Lizard, agamid: 301
Lizard, Clark's spiny: 429–434
Lizard, desert spiny: 429–434
Lizard, greater earless: 429–434
Lizard, side-blotched: 429–434
Lizard, Sonoran spotted whiptail: 429–434
Lizard, tree: 429–434
Lizard, western whiptail: 429–434
Locust, black: 879–888
Locust, New Mexican: 595–601, 1054–1064
Lofroth, Eric, *see* Krebs, John
Logistic regression:
use and interpretation of logistic regression in habitat-selection studies, 774–789
Lopez, Roel R., Nova J. Silvy, Brian L. Pierce, Philip A. Frank, Matthew T. Wilson, and Kyle M. Burke. Population density of the endangered Florida Key deer, 570–575
——, Nova J. Silvy, R. Neal Wilkins, Philip A. Frank, Markus J. Peterson, and M. Nils Peterson. Habitat-use patterns of Florida Key deer: implications of urban development, 900–908

———, *see* Harveson, Patricia M.
———, *see* Peterson, M. Nils
Loschl, Peter J., *see* Olson, Gail S.
Lougheed, Lynn W., *see* Bradley, Russell W.
Louisiana: 80, 371–382
Loxodonta Africana, see Elephant, African
Lubow, Bruce C., and Bruce L. Smith. Population dynamics of the Jackson elk herd, 810–829
Lucientes, Javier, *see* Calvete, Carlos
Luloff, A. E., *see* Stedman, Richard
Lundrigan, Barbara, *see* Williams, Christen Lenney
Lupine: 288–298
Lupinus argenteus, see Lupine
Lusk, Jeffrey J., *see* Cox, Scott A.
———, *see* Guthrey, Fred S.
Lutra canadensis, see Otter, river
Lutz, R. Scott, *see* Williams, Christopher K.
Lxyobrychus exilis, see Bittern, least
Lynx lynx, see Bobcat
Lynx pardina, see Lynx
Lynx rufus, see Bobcat
Lynx: 198–205, 449–452
Lysichitum americanum, see Cabbage, skunk

M

Mabee, Todd J., *see* Russell, Kevin R.
Madrone: 475–492
Magoun, Audrey, *see* Krebs, John
Magpies: 300, 650–662
Maianthemum canadense, see Mayflower, Canada
Malaclemys terrapin terrapin, see Terrapin, northern diamondback
Mangrove, black: 570–575, 1018–1031
Mangrove, red: 570–575, 1018–1031
Mangrove, white: 570–575, 1018–1031
Manitoba: 346
Mank, C. Rachel, *see* Rittenhouse, Tracey A. G.
Manley, Scott W., Richard M. Kaminski, Kenneth J. Reinecke, and Patrick D. Gerard. Waterbird foods in winter-managed ricefields in Mississippi, 74–83
Mannan, R. William, *see* La Sorte, Frank
———, *see* Reynolds, Richard T.
Maple, bigleaf: 33–50, 405–417
Maple, red: 91, 257–265, 383–392, 602–610
Maple, sugar: 51–60, 247–265, 278–287, 383–392, 602–610
Maple, vine: 405–417
Marmot, alpine: 440
Marmot, hoary: 493–502, 527
Marmot, yellow-bellied:
do individual differences influence flight initiation distance?, 1124–1129
Marmota caligata, see Marmot, hoary
Marmota flaviventris, see Marmot, yellow-bellied
Marmota marmota, see Marmot, alpine
Marrow fat: 870–878
Marten, American: 295, 439, 449–452, 476
Marten, European pine: 486
Martes americana, see Marten, American
Martes martes, see Marten, European pine
Martes pennanti, see Fisher
Marzluff, John M., *see* Neatherlin, Erick A.
Masaki, Takashi, *see* Oka, Teruki
Mast: 979–986
Masticophis bilineatus, see Snake, Sonoran whip
Masticophis flagellum, see Snake, coachwhip
Mátrai, Katalin, László Szemethy, Péter Tóth, Krisztián Katona, and János Székely. Resource use by red deer in lowland nonnative forests, Hungary, 879–888
Matrix, Leslie: 1047–1053
Matsuda, Hiroyuki, *see* Kaji, Koichi
Matulessy, Justianus, *see* Jacob, Jens
May, Christopher A., Mylea L. Petersburg, and R. J. Gutiérrez. Mexican spotted owl nest- and roost-site habitat in northern Arizona, 1054–1064
Mayflower, Canada: 383–392
McAllister, Kelly R., *see* Bender, Louis C.
McConnell, Elizabeth, *see* Millsap, Brian
McDaniel, Leonard L., *see* Flanders-Wanner, Bridgette L.
McKelvey, Kevin S., and Michael K. Schwartz. Genetic errors associated with population estimation using non-invasive molecular tagging: problems and new solutions, 439–448
———, and Michael K. Schwartz. Providing reliable and accurate genetic capture–mark–recapture estimates in a cost-effective way, 453–456
McLellan, Bruce N., *see* Apps, Clayton D.
———, *see* Boulanger, John
McNulty, Stacy A., *see* Nyland, Ralph D.
MCP, *see* Minimum convex polygon
Melanerpes formicivorus, see Woodpecker, acorn
Meleagris gallopavor silvestris, see Turkey, eastern wild
Melospiza melodia, see Sparrow, song
Menezes, Romulo S. C., *see* Schoenecker, Kathryn
Mephitis mephitis, see Skunk, striped
Merritt Island National Wildlife Refuge: 1082–1087
Mexico: 360–380
Michigan: 266, 383–392, 1092
Microtus californicus, see Vole, California
Microtus montanus, see Vole, montane
Migration: 61–73, 153–166, 371–382
effects of infrastructure on migration and range use of wild reindeer, 101–108
Millán, Javier, Christian Gortazar, and Rafael Villafuerte. A comparison of the helminth faunas of wild and farm-reared red-legged partridge, 701–707
Millet, brown top: 514–518
Millet, wild: 74–83
Millsap, Brian, Tim Breen, Elizabeth McConnell, Tony Steffer, Laura Philips, Nancy Douglass, and Sharon Taylor. Comparative fecundity and survival of bald eagles fledged from suburban and rural natal areas in Florida, 1018–1061
Minimum convex polygon: 33–50, 61–73, 84–93, 247–256, 799–809, 1140
Mink, American: 332–350, 650–662
Minnesota: 402

Mississippi: 179–187, 223–232, 402
waterbird foods in winter-managed ricefields in Mississippi, 74–83
Mississippi River: 1145–1150
Missouri: 402, 1095–1113, 1145–1150
Miura, Shingo, *see* Oka, Teruki
Mniotilta varia, see Warbler, black-and-white
Model: 138–152, 247–256, 278–287, 332–341, 393–404, 576–584, 627–638, 672–682, 799–809, 1054–1064, 1095–1103, 1114–1123
estimating detection probability parameters for Plethodon salamanders using the robust capture–recapture design, 1–13
spatial and temporal variation in detection probability of Plethodon salamanders using robust capture–recapture design, 14–24
spotted owl home-range and habitat use in young forests of western Oregon, 33–50
marine and agricultural habitat preferences of Dunlin wintering in British Columbia, 61–73
abiotic habitat correlates of Gunnison's prairie dog in Arizona, 188–197
a spatially explicit model, derived form demographic variables, to predict attitudes toward black bear restoration, 223–232
reducing false absences in survey data: detection probabilities of red-backed salamanders, 418–428
use of population viability analysis to identify management priorities and success in reintroducing Przewalski's horses to southwestern Mongolia, 790–798
population dynamics of the Jackson elk herd, 810–829
use and interpretation of logistic regression in habitat-selection studies, 774–789
spatio-temporal and demographic variation in the harvest of black bears: implications for population estimation, 947–959
modeling survival: application of the Andersen-Gill model to Yellowstone grizzly bears, 966–978
modeling demographic performance of northern spotted owls relative to forest habitat in Oregon, 1039–1053
evaluating mallard adaptive management models with time series, 1065–1081
Model, Andersen-Gill: 966–978
Model, Cormack-Jolly-Seber: 25–32, 288–298, 457–469, 646
Model, oiled seabird mortality:
assessing seabird mortality from chronic oil discharges at sea, 627–638
Model, Pollock's robust design:
estimating detection probability parameters for Plethodon salamanders using the robust capture–recapture design, 1–13
spatial and temporal variation in detection probability of Plethodon salamanders using robust capture–recapture design, 14–24
Molothrus ater, see Cowbird, brown-headed
Mongolia: 790–798
Montana: 129–137, 153–178, 966–978
Monte Carlo simulation:
comparison of Type I error rates for statistical analyses of resource selection, 206–212
Moody, David s., *see* Haroldson, Mark A.
Mooring, Michael S., Thomas A. Fitzpatrick, Tara T. Nishihira, and Dominic D. Reisig. Vigilance, predation risk, and the Allee effect in desert bighorn sheep, 519–532
Moose: 153, 275, 493–502, 543, 968
factors correlated with foraging behavior of wolves in and near Glacier National Park, Montana, 167–178
moose habitat preferences in response to changing availability, 576–584
spatial separation of caribou from moose and its relation to predation by wolves, 799–809
Motacilla yarellii, see Wagtail
Moth, army cutworm: 129
Mouse, cotton: 514–518
Mouse, deer: 288–298, 503–508
Mouse, eastern harvest: 514–518
Mouse, house: 514–518, 1130, 1138
Mulders, Robert, *see* Krebs, John
Mulinia lateralis, see Clam, dwarf surf
Müller, Uli, *see* Hegglin, Daniel
Murphie, Bryan L., *see* Bender, Louis C.
Murphy, Kerry M., *see* Smith, Douglas W.
Murre, common: 627–638
Murre, thick-billed: 627–638
Murrelet, marbled: 706–718
inferring breeding success through radiotelemetry in the marbled murrelet, 318–331
Mus musculus, see Mouse, house
Muscicapa striata, see Flycatcher
Muskoxen: 543
Muskrat: 332–341
Mussels: 233
Mustela frenata, see Weasel, long-tailed
Mustela spp., *see* Weasel
Mustela vison, see Mink, American
Mycetophilidae: 683–693
Myiarchus crinitus, see Flycatcher, great-crested
Myotis auriculus, see Myotis, southwestern
Myotis evotis, see Myotis, western long-eared
Myotis lucifugus, see Bat, little brown
Myotis septentrionalis, see Bat, northern long-eared
Myotis, southwestern: 595–601
Myotis, western long-eared: 595–601, 608
Myrtlewood: 47
Mytilus spp., *see* Mussels
Myxomatosis:
short-term negative effects of vaccination campaigns against myxomatosis and viral hemorrhagic disease (VHD) on the survival of European wild rabbits, 198–205

N

Neatherlin, Erik A., and John M. Marzluff. Responses of American crow populations to campgrounds in remote native forest landscapes, 706–718

Nebraska: 1088–1094
Nellemann, Christian, *see* Vistnes, Ingunn
Nematode:
a comparison of the helminth faunas of wild and farm-reared red-legged partridge, 701–707
Neotoma cinerea, see Rat, bushy-tailed wood
Neotoma fuscipes, see Rat, dusky-footed wood
Nereis spp., *see* Worm, marine
Net, cannon: 393–404, 576–584
Net, drop: 561–569
Net, fyke: 1145–1150
Net, gill: 1145–1150
Net, hoop: 1145–1150
Net, rocket: 393–404
Nettle, California: 503–508
New Mexico: 519–532, 1036
New York: 247–265, 278–287
Newfoundland: 627–638
Nishihira, Tara T., *see* Mooring, Michael S.
Nitrogen:
effects of elk herbivory on vegetation and nitrogen processes, 837–849
Nol, Erica, *see* Jobes, Andrew P.
Norman, Gary W., Mary M. Conner, James C. Pack, and Gary C. White. Effects of fall hunting on survival of male wild turkeys in Virginia and West Virginia, 393–404
North Carolina: 1–24, 672–682, 1018–1031
North Dakota: 332–341
Norway: 101–108, 719–724
Noxubee National Wildlife Refuge: 223–232
Nuthatch, red-breasted: 51–60, 383–392
Nuthatch, white-breasted: 383–392
Nyland, Ralph D., and Stacy A. McNulty. Interpretation of silvicultural terminology in wildlife research and management: the example of Webb et al. (1977), 1159–1160 – short communication

O

Oak, California black: 475–492
Oak, canyon live: 475–492
Oak, Gambel: 188–197, 550–560
selection of Gambel oak roosts by southwestern myotis in ponderosa pine-dominated forests, northern Arizona, 595–601
mexican spotted owl nest- and roost-site habitat in northern Arizona, 1054–1064
Oak, Oregon white: 475–492, 1039–1053
Oak, poison: 503–508
Oak, tan: 475–492
Odobenus rosmarus, see Walrus
Odocoileus hemionus columbianus, see Deer, black-tailed
Odocoileus hemionus eremicus, see Deer, desert mule
Odocoileus hemionus sitkensis, see Deer, Sitka black-tailed
Odocoileus hemionus, see Deer, mule
Odocoileus virginianus clavium, see Deer, Florida Key
Odocoileus virginianus, see Deer, white-tailed
Odonata: 299–306
Ohio: 694–700
Oil: 799–809
assessing seabird mortality from chronic oil discharges at sea, 627–638
Oka, Teruki, Shingo Miura, Takashi Masaki, Wajiro Suzuki, Katsuhiro Osumi, and Shoichi Saitoh. Relationship between changes in beechnut production and Asiatic black bears in northern Japan, 979–986
Okada, Hideaki, *see* Kaji, Koichi
Oklahoma: 663–671, 1095–1113
Olson, Gail S., Elizabeth M. Glenn, Robert G. Anthony, Eric D. Forsman, Janice A. Reid, Peter J. Loschl, and William J. Ripple. Modeling demographic performance of the northern spotted owls relative to forest habitat in Oregon, 1039–1053
Olympic National Park: 706–718
Oncorhynchos spp., *see* Salmon
Oncorhynchus clarki, see Trout, cutthroat
Ondata zibethicus, see Muskrat
Ontario: 51–60, 266–277
Opilionidea: 683–693
Oporornis philadelphia, see Warbler, mourning
Opuntia spp., *see* Cactus
Oreamnos americanus, see Goat, mountain
Oregon: 33–50, 285, 293, 405–417, 493, 1039–1053
Orthoptera: 299–306
Oryctolagus cuniculus, see Rabbit, European wild
Oryza sativa var., *see* Rice, red
Osacar, Juan J., *see* Calvete, Carlos
Osko, Terrance J., Michelle N. Hiltz, Robert J. Hudson, and Shawn M. Wasel. Moose habitat preferences in response to changing availability, 576–584
Ostendorf, David E., *see* Barko, Valerie A.
Ostermann, Stacey D., *see* Whittaker, Donald G.
Osumi, Katsuhiro, *see* Oka, Teruki
Otis asio, see Owl, eastern screech
Otis, David L. Mallard harvest distributions in the Atlantic and Mississippi Flyways during periods of restrictive and liberal hunting regulations, 351–359
——, *see* Scott, David P.
Otter, river: 650–662
Otus elegans, see Owl, Lanyu scops
Otus flammeolus, see Owl, flammulated
Otus scops, see Owl, Eurasian scops
Otus trichopsis, see Owl, whiskered
Ovenbird: 51–60, 383–392
Ovibos moschatus, see Muskoxen
Ovis aries, see Sheep, domestic Tibetan
Ovis canadensis, see Sheep, bighorn desert
Ovis canadensis californiana, see Sheep, California bighorn
Ovis canadensis canadensis, see Sheep, Rocky Mountain
Ovis canadensis mexicana, see Sheep, Mexican
Ovis canadensis nelsoni, see Sheep, Peninsular desert bighorn
Ovis dalli, see Sheep, Dall's
Ovis spp., *see* Sheep
Owl, barred: 1039–1053
Owl, California spotted: 1040, 1061
Owl, eastern screech: 303
Owl, Eurasian scops: 303

Owl, flammulated: 303
Owl, great horned: 34, 342–350
Owl, Lanyu scops:
sexual and seasonal differences in the diet of Lanyu scops owls based on fecal analysis, 299–306
Owl, Mexican spotted: 1040
Mexican spotted owl nest- and roost-site habitat in northern Arizona, 1054–1064
Owl, northern spotted: 25, 230, 611, 1061
spotted owl home-range and habitat use in young forests of western Oregon, 33–50
modeling demographic performance of northern spotted owls relative to forest habitat in Oregon, 1039–1053
Owl, tawny: 304
Owl, whiskered: 303
Oxyura jamaicensis, see Duck, ruddy
Oyer, Anne M., and William F. Porter. Localized management of white-tailed deer in the central Adirondack Mountains, New York, 257–265
Oystercatchers: 70

P

Pacifastacus leniusculus, see Crayfish, signal
Pack, James C., *see* Norman, Gary W.
Paetku, David. The optimal number of markers in genetic capture–mark–recapture studies, 449–452
Paintbrush: 288–298
Palmer, William E., *see* Wellendorf, Shane D.
Palmetto, saw: 570–575
Pan troglodytes, see Chimpanzees
Panda, giant:
effects of radiocollars on giant panda stress-related behavior and hormones, 987–992
Panicum virgatum, see Grass, switch
Panther Swamp National Wildlife Refuge: 223–232
Panther, Florida: 230
Parsnip, cow: 470–474, 503–508
Partridge, gray: 680, 706
Partridge, red-legged:
a comparison of the helminth faunas of wild and farm-reared red-legged partridge, 701–707
Partridge, rock: 701–707
Partridge, Steven T., *see* Smith, Tom S.
Parula americana, see Parula, northern
Patagonia: 924–938
Parula, northern: 383–392
Passerine cyanea, see Bunting, indigo
PCR, *see* Polymerase chain reaction
Pea, cow: 514–518
Pea, partridge: 514–518
Peach, desert: 533–541
Pearse, Aaron T., and John T. Ratti. Effects of predator removal on mallard duckling survival, 342–350
Pechacek, Peter, and Anton Kristin. Comparative diets of adult and young three-toed woodpeckers in a European alpine forest community, 683–693
Peewee, eastern wood: 51–60, 383–392
Pelliza-Sbriller, Alicia, *see* Baldi, Ricardo
Pennsylvania: 860–869
Pentatomids: 299–306
Peoples, Alan D., *see* Cox, Scott A.
Perdix perdix, see Partridge, gray
Perkins, Micah W., and L. Mike Conner. Habitat use of fox squirrels in southwestern Georgia, 509–513
Peromyscus gossypinus, see Mouse, cotton
Peromyscus maniculatus, see Mouse, deer
Petersburg, Mylea L., *see* May, Christopher A.
Peterson, M. Nils, Stacey A. Allison, Markus J. Peterson, Tarla Rai Peterson, and Roel R. Lopez. A tale of two species: habitat conservation plans as bounded conflict, 743–761
———, *see* Lopez, Roel R.
Peterson, Markus J., *see* Guthrey, Fred S.
———, *see* Lopez, Roel R.
———, *see* Peterson, M. Nils
Peterson, Tarla Rai, *see* Peterson, M. Nils
Petrie, Mark J., *see* Ballard, Bart M.
Phalangidae: 683–693
Phascolosoma agassizii, see Worm, peanut
Phasianus colchicus, see Pheasant, ring-necked
Pheasant, ring-necked: 680, 701
Phenacomys intermedius, see Vole, heather
Pheucticus ludovicianus, see Grosbeak, rose-breasted
Philips, Laura, *see* Millsap, Brian
Pica hudsonia, see Magpies
Pica pica, see Magpies
Picea abies, see Spruce, Norway
Picea alba, see Spruce, white
Picea englemannii, see Spruce, Engelmann
Picea glauca, see Spruce, white
Picea mariana, see Spruce, black
Picea rubens, see Spruce, red
Picea sitchensis, see Spruce, Sitka
Picoides borealis, see Woodpecker, red-cockaded
Picoides pubescens, see Woodpecker, downy
Picoides tridactylus, see Woodpecker, three-toed
Picoides villosus, see Woodpecker, hairy
Picus viridis, see Woodpecker, green
Pierce, Becky M., R. Terry Bowyer, and Vernon C. Bleich. Habitat selection by mule deer: foraging benefits or risk of predation?, 533–541
Pierce, Brian L., *see* Lopez, Roel R.
Pietz, Pamela J., *see* Krapu, Gary L.
Pigeon, homing: 29
Pine, Bishop: 503–508
Pine, jack: 576–584, 602–610
Pine, Jeffery: 475–492
Pine, loblolly: 1121
Pine, lodgepole: 138–152, 167–178, 288–298, 475–492, 966–978
Pine, longleaf: 509–513, 1114–1123
Pine, piñyon: 188–197, 533–560, 1054–1064
Pine, ponderosa: 26–32, 188–197, 307–317, 475–492, 542–560, 837–849
selection of Gambel oak roosts by southwestern myotis in ponderosa pine-dominated forests,

northern Arizona, 595–601
Mexican spotted owl nest- and roost-site habitat in northern Arizona, 1054–1064
Pine, scots:
effects of a golf course on population dynamics of the endangered ortolan bunting, 719–724
resource use by red deer in lowland nonnative forests, Hungary, 879–888
Pine, slash: 570–575, 1018–1031
Pine, Utah: 533–560
Pine, white: 138–152, 247–265, 383–392, 966–978
Pine, whitebark: 129–152
Pintail, northern: 348
diet and nutrition of northern pintails wintering along the southern coast of Texas, 371–382
Pinus albicaulis, see Pine, whitebark
Pinus banksiana, see Pine, jack
Pinus contorta, see Pine, lodgepole
Pinus edulis, see Pine, piñyon
Pinus elliottii, see Pine, slash
Pinus jeffreyi, see Pine, Jeffery
Pinus monticola, see Pine, white
Pinus muricata, see Pine, Bishop
Pinus palustris, see Pine, longleaf
Pinus ponderosa, see Pine, Ponderosa
Pinus sylvestris, see Pine, scots
Pinus taeda, see Pine, loblolly
Piranga olivacea, see Tanager, scarlet
Piscidia piscipula, see Dogwood, Jamaican
PIT, *see* Tag, passive integrated transponder
Plague, sylvatic: 188–197
Plante, Nathalie, *see* Béchet, Arnaud
Plethodon cinereus, see Salamander, red-backed
Plethodon glutinosus, see Salamander, Plethodon
Plethodon jordani, see Salamander, Plethodon
Plethodon oconluftee, see Salamander, Plethodon
Plethodon serratus, see Salamander, Plethodon
Pletscher, Daniel H., *see* Kunkel, Kyran E.
***Poa pratensis*:** 241–246
Podilymbus podiceps, see Grebe, pie-billed
Poecile atricapilla, see Chickadee, black-capped
Point Reyes National Seashore: 503–508
Poison: 188–197, 1029
Pojar, Thomas M., and David C. Bowden. Neonatal mule deer fawn survival in west-central Colorado, 550–560
———, *see* Andelt, William F.
Pollock, Kenneth H., *see* Bailey, Larissa L.
Pollution:
assessing seabird mortality from chronic oil discharges at sea, 627–638
Polygonatum pubescens, see Solomon's seal, hairy
***Polygonum* spp.:** 371–382
Polymerase chain reaction: 440, 960–965
Polyporus dryophilus, see Fungus, heart rot
Polystichum munitum, see Fern, sword
Population dynamics: 542–549, 1065–1081
genetic errors associated with population estimation using non-invasive molecular tagging: problems and new solutions, 439–448
the optimal number of markers in genetic capture–mark–recapture studies, 449–452
providing reliable and accurate genetic capture–mark–recapture estimates in a cost-effective way, 453–456
sampling design and bias in DNA-based capture–mark–recapture population and density estimates of grizzly bears, 457–469
population density of the endangered Florida Key deer, 570–575
goals and strategies for estimating trends in landbird abundance, 611–626
effects of a golf course on population dynamics of the endangered ortolan bunting, 719–724
population dynamics of the Jackson elk herd, 810–829
irruption of a colonizing sika deer population, 889–899
source-sink dynamics of Florida Key deer on Big Pine Key, Florida, 909–915
spatio-temporal and demographic variation in the harvest of black bears: implications for population estimation, 947–959
genetic monitoring of Scandinavian brown bear effective population size and immigration, 960–965
Population, minimal viable: 790–798
Population viability analysis:
use of population viability analysis to identify management priorities and success in reintroducing Przewalski's horses to southwestern Mongolia, 790–798
Populus tremuloides, see Aspen, trembling
Populus trichocarpa, see Cottonwood, black
Porcupine: 493–502
Porter, William F., H. Brian Underwood, and Jennifer L. Woodard. Movement behavior, dispersal, and the potential for localized management of deer in a suburban environment, 247–256
———, *see* Oyer, Anne M.
Porzana carolina, see Soras
***Potomegeton* spp.:** 371–382
Power lines: 101–108
Prairie dog, black-tailed: 188
Prairie dog, Gunnison's:
abiotic habitat correlates of Gunnison's prairie dog in Arizona, 188–197
Prairie dog, Mexican: 188
Prairie dog, Utah: 188
Prairie dog, white-tailed: 188
Prairie Pothole Region: 91, 342–350
does presence of permanent fresh water affect recruitment in prairie-nesting dabbling ducks?, 332–341
Pratt, David, *see* Fellers, Gary M.
Predation: 179–187, 561–569, 663–671, 706–718, 790–798
winter prey selection and estimation of wolf kill rates in Yellowstone National Park, 1995–2000, 153–166
factors correlated with foraging behavior of wolves in and near Glacier National Park, Montana, 167–178
effects of predator removal on mallard duckling survival, 342–350
vigilance, predation risk, and the Allee effect in desert bighorn sheep, 519–532

habitat selection by mule deer: foraging benefits or risk of predation?, 533–541
isolation of Snake River islands and mammalian predation of waterfowl nests, 650–662
spatial separation of caribou from moose and its relation to predation by wolves, 799–809
the influence of mountain lion predation on bighorn sheep translocations, 993–999
do individual differences influence flight initiation distance?, 1124–1129
Primates: 527
Private property rights: 230
Procapra przewalskii, see Gazelle, Przewalskii
Proctor, Michael F., *see* Apps, Clayton D.
———, *see* Boulanger, John
Procyon lotor, see Raccoon
Pronghorn, American: 533, 543
Protein, crude: 235, 371–382
Prunus andersonii, see Peach, desert
Prunus serotina, see Cherry, black
Pselaphidae: 683–693
Pseudotsuga menziezii, see Fir, Douglas
Psyllinea: 683–693
Puma concolor coryi, see Panther, Florida
Purshia tridentata, see Bitterbrush

Q

Quail, Gambel's:
multi-state analysis of fixed, liberal regulations in quail harvest management, 1104–1113
Quail, scaled:
multi-state analysis of fixed, liberal regulations in quail harvest management, 1104–1113
Quebec: 493
Quercus chrysolepis, see Oak, canyon live
Quercus gambelii, see Oak, Gambel
Quercus garryana, see Oak, Oregon white
Quercus kelloggii, see Oak, California black
Quiscalus quiscalus, see Grackle, common

R

Rabbit: 47, 1007
Rabbit, brush: 503–508, 1051
Rabbit, European wild: 704, 1130, 1135, 1138, 1142
short-term negative effects of vaccination campaigns against myxomatosis and viral hemorrhagic disease (VHD) on the survival of European wild rabbits, 198–205
Rabe, Michael J., *see* Bernardos, Debra A.
———, *see* Guthrey, Fred S.
Rabies: 1010–1017
Raccoon: 342–350, 650–662, 997
a multi-resolution assessment of raccoon den selection, 179–187
Radiotelemetry: 61–73, 84–100, 105, 129–137, 167–187, 198–205, 247–265, 332–350, 393–404, 457–469, 475–492, 493–502, 509–518, 533–560, 576–584, 595–610, 639–649, 663–693, 706–718, 799–809, 850–859, 870–878, 900–908, 966–978, 1018–1031, 1082–1087, 1138–1144
effects of radiotransmitters on northern goshawks: do tailmounts lower survival of breeding males?, 25–32
inferring breeding success through radiotelemetry in the marbled murrelet, 318–331
effects of radiocollars on giant panda stress-related behavior and hormones, 987–992
Radiotelemetry, satellite: 1018–1031
Radiotransmitter, backpack: 25–32
Radiotransmitter, collar: 987–992
Radiotransmitter, necklace: 94–100, 663–682
Radiotransmitter, subcutaneous implant: 84–93, 1082–1087
Radiotransmitter, tailmount: 25–32
Raedeke, Kenneth J., *see* Gilbert, Brian A.
Ragweed: 514–518
Rail, California black: Factors affecting detection probability of California black rails, 360–370
Rail, eastern black: 367
Rail, Virginia: 360–370
Rail, Yuma clapper: 360–370
***Raillientina tetragona*:** 701–707
Rain: 418–428, 1039–1053
Rallus limicola, see Rail, Virginia
Rallus longirostris yumanensis, see Rail, Yuma clapper
Ralph, C. John, *see* Bart, Jonathan
Rangeland:
dietary overlap between Przewalski's gazelle and domestic sheep in the Qinghai Lake region and implications for rangeland management, 241–246
influence of cattle management on habitat selection by impala on central Kenyan rangeland, 916–923
Rangifer tarandus caribou, see Caribou, woodland
Rangifer tarandus granti, see Caribou, barren ground
Rangifer tarandus tarandus, see Reindeer
Raphidioptera: 683–693
Raptors: 25–50, 299–317, 663–671, 1032–1064
Raspberry, red: 58
Rat, bushy-tailed wood: 47
Rat, dusky-footed wood: 33–50, 1051
Rat, ricefield:
the impact of sterilized females on enclosed populations of ricefield rats, 1130–1137
effects of imposed sterility on movement patterns of female ricefield rats, 1138–1144
Ratti, John T., *see* Pearse, Aaron T.
Rattlesnake, blacktail: 429–434
Rattlesnake, tiger: 429–434
Rattus argentiventer, see Rat, ricefield
Raulston, Barbara E., *see* Conway, Courtney J.
Ream, Robert R., *see* Kunkel, Kyran E.
Recreation:
patterns of density and survival in small mammals in ski runs and adjacent forest patches, 288–298
responses of American crow populations to campgrounds in remote native forest landscapes, 706–718
effects of a golf course on population dynamics of the

endangered ortolan bunting, 719–724
integrating wildlife and human-dimensions research methods to study hunters, 762–773
Recruitment: 120–128, 1065–1094
does presence of permanent fresh water affect recruitment in prairie-nesting dabbling ducks?, 332–341
survival, recruitment, and rate of population change of the peregrine falcon population in Colorado, 1032–1038
Redstart, American: 51–60, 383–392
Reed, Austin, *see* Béchet, Arnaud
Refugia: 493–502
Regulus satrapa, see Kinglet, golden-crowned
Reid, Janice A., *see* Olson, Gail S.
Reindeer: 493–502
effects of infrastructure on migration and range use of wild reindeer, 101–108
recruitment dynamics of black-tailed deer in the western cascades, 120–128
Reinecke, Kenneth J., *see* Manley, Scott W.
Reintroduction: 519–532, 993–999
a spatially explicit model, derived form demographic variables, to predict attitudes toward black bear restoration, 223–232
vigilance, predation risk, and the Allee effect in desert bighorn sheep, 519–532
genetic variability of reintroduced California bighorn sheep in Oregon, 850–859
Reisig, Dominic D., *see* Mooring, Michael S.
Reithrodontomys humilis, see Mouse, eastern harvest
Relyea, Rick A., *see* Lawrence, Richard K.
Reproduction: 561–569, 830–836, 1018–1038, 1065–1081
movement behavior, dispersal, and the potential for localized management of deer in a suburban environment, 247–256
inferring breeding success through radiotelemetry in the marbled murrelet, 318–331
does presence of permanent fresh water affect recruitment in prairie-nesting dabbling ducks?, 332–341
long-term trends in mule deer pregnancy and fetal rates in Colorado, 542–549
modeling demographic performance of northern spotted owls relative to forest habitat in Oregon, 1039–1053
validity of prairie grouse harvest-age ratios as production indices, 1088–1094
the impact of sterilized females on enclosed populations of ricefield rats, 1130–1137
effects of imposed sterility on movement patterns of female ricefield rats, 1138–1144
Reptiles: 429–434
effects of destructive collecting practices on reptiles: a field experiment, 429–434
Resource selection function: 138–152, 206–212, 475–492, 576–584
use and interpretation of logistic regression in habitat-selection studies, 774–789
resource use by red deer in lowland nonnative forests, Hungary, 879–888
Reyer, Heinz-Ulrich, *see* Geisser, Hannes
Reynolds, Richard T., Gary C. White, Suzanne M. Joy, R. William Mannan. Effects of radiotransmitters on northern goshawks: do tailmounts lower survival of breeding males?, 25–32
———, *see* La Sorte, Frank
Rhamnus californica, see Berry, coffee
Rhizomes: 371–382
Rhizophora mangle, see Mangrove, red
Rhodes, Olin E., Jr., *see* Williams, Christen Lenney
Rhododendron: 405–417
Rhododendron macrophyllum, see Rhododendron
Rhyacotriton kezeri, see Salamander, Columbian torrent
Rhyacotriton olympicus, see Salamander, Olympic torrent
Rhyacotriton variegatus, see Salamander, southern torrent
Rice: 371
waterbird foods in winter-managed ricefields in Mississippi, 74–83
the impact of sterilized females on enclosed populations of ricefield rats, 1130–1137
effects of imposed sterility on movement patterns of female ricefield rats, 1138–1144
Rice, red: 74–83
Rippin, A. Blair, *see* James, Adam R. C.
Ripple, William J., *see* Olson, Gail S.
Rittenhouse, Tracy A. G., Meaghan C. Doyle, C. Rachel Mank, Betsie S. Rothermel, and Raymond D. Semlitsch. Substrate cues influence habitat selection by spotted salamanders, 1151–1158
Roads: 101–108, 180, 966–978, 1000–1009
habitat features affecting beaver occupancy along roadsides in New York state, 278–287
Robertson, Gregory J., *see* Wiese, Francis K.
Robin, American: 383–392, 706–718
Robinia neomexicana, see Locust, New Mexican
Robinson, W. Douglas, *see* Tucker, James W., Jr.
Rock outcrops: 429–434
Rocky Mountain National Park: 837–849
Roegneria grandiglumis: 241–246
Roffe, Thomas J., Lee C. Jones, Kenneth Coffin, Mark L. Drew, Steven J. Sweeney, Susan D. Hagius, Philip H. Elzer, and Donald Davis. Efficacy of single calfhood vaccination of elk with *Brucella abortus* strain 19, 830–836
Romer, Jann, *see* Hegglin, Daniel
Rominger, Eric M., Heather A. Whitlaw, Darrel L. Weybright, William C. Dunn, and Warren B. Ballard. The influence of mountain lion predation on bighorn sheep translocations, 993–999
Roost: 672–682
spotted owl home-range and habitat use in young forests of western Oregon, 33–50
selection of Gambel oak roosts by southwestern myotis in ponderosa pine-dominated forests, northern Arizona, 595–601
interspecific and intersexual variation in roost-site selection of northern long-eared and little brown bats in the Greater Fundy National Park ecosystem, 602–610
Mexican spotted owl nest- and roost-site habitat in

northern Arizona, 1054–1064
Rosemary: 198–205
Rosenberry, Christopher S., Duane R. Diefenbach, and Bret D. Wallingford. Reporting-rate variability and precision of white-tailed deer harvest estimates in Pennsylvania, 860–869
Rosmarinus officinalis, see Rosemary
Rothermel, Betsie S., *see* Rittenhouse, Tracey A. G.
Rubus idaeus, see Raspberry, red
Rubus spectabilis, see Salmonberry
Rubus ursinus, see Blackberry
Runge, Michael C., *see* Hunter Christine M.
Runyan, Andrea M., and Daniel T. Blumstein. Do individual differences influence flight initiation distance?, 1124–1129
Ruppia maritima, see Grass, wigeon
Russell, Kevin R., Todd J. Mabee, and Michael B. Cole. Distribution and habitat of Columbian torrent salamanders at multiple spatial scales in managed forests of northwestern Oregon, 405–417
Russia: 63

S

Sagebrush, big: 533–541, 550–560, 966–978
Saitoh, Shoichi, *see* Oka, Teruki
Salamander, Columbian torrent:
distribution and habitat of Columbian torrent salamanders at multiple spatial scales in managed forests of northwestern Oregon, 405–417
Salamander, Desmognathus:
spatial and temporal variation in detection probability of Plethodon salamanders using robust capture–recapture design, 14–24
Salamander, Olympic torrent: 413
Salamander, Pacific giant: 405–417
Salamander, Plethodon: 418–428
estimating detection probability parameters for Plethodon salamanders using the robust capture–recapture design, 1–13
spatial and temporal variation in detection probability of Plethodon salamanders using robust capture–recapture design, 14–24
Salamander, red-backed:
reducing false absences in survey data: detection probabilities of red-backed salamanders, 418–428
Salamander, southern torrent: 413
Salamander, spotter:
substrate cues influence habitat selection by spotted salamanders, 1151–1158
Salix nigra, see Willow, black
Salix spp., *see* Willow
Salmon: 233
Salmonberry: 470–474
Sambucus racemosa, see Elderberry
Sampling design:
sampling design and bias in DNA-based capture–mark–recapture population and density estimates of grizzly bears, 457–469
use and interpretation of logistic regression in habitat-selection studies, 774–789
Sampling error: 439–452
providing reliable and accurate genetic capture–mark–recapture estimates in a cost-effective way, 453–456
Sampling, mark–recapture: 25–32, 288–298, 439–452, 639–649, 947–959, 1039–1053
estimating detection probability parameters for Plethodon salamanders using the robust capture–recapture design, 1–13
spatial and temporal variation in detection probability of Plethodon salamanders using robust capture–recapture design, 14–24
providing reliable and accurate genetic capture–mark–recapture estimates in a cost-effective way, 453–456
sampling design and bias in DNA-based capture–mark–recapture population and density estimates of grizzly bears, 457–469
Sampling, spatial:
spatial and temporal variation in detection probability of Plethodon salamanders using robust capture–recapture design, 14–24
habitat-use patterns of Florida Key deer: implications of urban development, 900–908
spatial ecology of coyotes along a suburban-to-rural gradient, 1000–1009
Sams, Mike, *see* Guthrey, Fred S.
Samuel R. McKelvie National Forest: 1088–1094
San Julian, Gary J., *see* Stedman, Richard
Sandpiper: 74–83
Sandpiper, western: 63
Sapsucker, yellow-bellied: 51–60, 383–392
Saskatchewan: 342–350, 357
Sauromalus ater, see Chuckwallas
Scandinavia: 960–965
Scaup, lesser: 650–662
winter survival of lesser scaup in east-central Florida, 1082–1087
Sceloporus magister, see Lizard, desert spiny
Schirato, Greg A., *see* Bender, Louis C.
Schizachyrium scoparis, see Grass, little bluestem
Schlexer, Fredrick V., *see* Zielinski, William J.
Schmidt, Gregory A., *see* Zielinski, William J.
Schmidt, Kristin N., *see* Zielinski, William J.
Schoenecker, Kathryn A., Francis J. Singer, Linda C. Zeigenfuss, Dan Binkley, and Romulo S. C. Menezes. Effects of elk herbivory on vegetation and nitrogen processes, 837–849
Schwalbe, Cecil R., *see* Goode, Matthew J.
Schwartz, Charles C., *see* Haroldson, Mark A.
———, *see* Johnson, Chris J.
Schwartz, Michael K., *see* McKelvey, Kevin S.
Sciloporus clarkii, see Lizard, Clark's spiny
***Scirpus* spp.:** 371–382
Sciurus aberti, see Squirrel, Abert
Sciurus carolinensis, see Squirrel, gray
Sciurus niger aviennia, see Squirrel, big cypress fox
Sciurus niger cinereus, see Squirrel, Delmarva fox
Sciurus niger shermani, see Squirrel, Sherman's fox

Sciurus niger, see Squirrel, fox
Scolytidae: 683–693
Scott, David P., James B. Berdeen, David L. Otis, and R. Lyle Fendrick. Harvest parameters of urban and rural mourning doves in Ohio, 694–700
Seabirds:
assessing seabird mortality from chronic oil discharges at sea, 627–638
Seal, grey: 11
Sedge: 233–240
Sedge, moorcraft's: 241–246
Seiurus auracapillus, see Ovenbird
Semlitsch, Raymond D., *see* Rittenhouse, Tracey A. G.
Sequoia, giant: 475–492
Sequoiadendron giganteum, see Sequoia, giant
Serenoa repens, see Palmetto, saw
Setophaga ruticilla, see Redstart, American
Severinghaus, Lucia Liu, *see* Lee, Ya-Fu
Shadow effect: 439–456
Shannon-Wiener diversity index: 51–60
Sheep: 924–938
Sheep, bighorn desert: 154, 174, 533–541, 968
vigilance, predation risk, and the Allee effect in desert bighorn sheep, 519–532
the influence of mountain lion predation on bighorn sheep translocations, 993–999
Sheep, California bighorn:
genetic variability of reintroduced California bighorn sheep in Oregon, 850–859
Sheep, Dall's: 493–502
Sheep, domestic Tibetan:
dietary overlap between Przewalski's gazelle and domestic sheep in the Qinghai Lake region and implications for rangeland management, 241–246
Sheep, Mexican: 520
the influence of mountain lion predation on bighorn sheep translocations, 993–999
Sheep, Peninsular desert bighorn: 997
Sheep, Rocky Mountain:
the influence of mountain lion predation on bighorn sheep translocations, 993–999
Sheperd, Philippa C. F., and David B. Lank. Marine and agricultural habitat preferences of Dunlin wintering in British Columbia, 61–73
Shrew, masked: 288–298
Shrew, montane: 288–298
Shults, Brad, *see* Krebs, John
Siliqua spp., *see* Clams
Silvy, Nova J., *see* Harveson, Patricia M.
———, *see* Lopez, Roel R.
Simons, Theodore R., *see* Bailey, Larissa L.
Singer, Francis J., *see* Schoenecker, Kathryn
Singleton, Grant R., *see* Jacob, Jens
Sitta canadensis, see Nuthatch, red-breasted
Sitta carolinensis, see Nuthatch, white-breasted
***Skryabinia bolivari*:** 701–707
Skunk, spotted: 503–508
Skunk, striped: 342–350, 663–671, 997
Slope: 307–317
abiotic habitat correlates of Gunnison's prairie dog in Arizona, 188–197
Mexican spotted owl nest- and roost-site habitat in northern Arizona, 1054–1064
Slotta-Bachmayr, Leopold, Ralf Boegel, Petra Kaczensky, Christian Stauffer, and Christian Walzer. Use of population viability to identify management priorities and success in reintroducing Przewalski's horses to southwestern Mongolia, 790–798
Smith, Bruce L., *see* Lubow, Bruce C.
Smith, Douglas W., Thomas D. Drummer, Kerry M. Murphy, Debra S. Guernsey, and Shaney B. Evans. Winter prey selection and estimation of wolf kill rates in Yellowstone National Park, 1995–2000, 153–166
Smith, Tom S., and Steven T. Partridge. Dynamics of intertidal foraging by coastal brown bears in southwestern Alaska, 233–240
Snags: 595–601
interspecific and intersexual variation in roost-site selection of northern long-eared and little brown bats in the Greater Fundy National Park ecosystem, 602–610
Snail: 1010–1017
Snake, coachwhip: 429–434
Snake, mountain king: 429–434
Snake, rosy boas: 429–434
Snake, Sonoran whip: 429–434
Snipe, common: 74–83
Snow: 266–277, 288–298
Soil: 188–197, 837–849, 1151–1158
Solomon's seal, hairy: 383–392
Soras: 360–370
Sorex cinereus, see Shrew, masked
Sorex monticolus, see Shrew, montane
Sorex spp., *see* Shrew
Sorghastrum nutans, see Grass, Indian
Sorghum spp., *see* Wheat, Egyptian
Sorghum vulgare, see Sorghum
Sorghum: 514–518
South Dakota: 91
Spain: 198–205, 701–707
Sparrow, Bachman's:
influence of fire on Bachman's sparrow, an endemic North American songbird, 1114–1123
Sparrow, Florida grasshopper: 1120
Sparrow, song: 383–392
Sparrow, white-throated: 51–60, 383–392
Species, endangered: 223–232, 241–246, 254, 360–370, 493–502, 570–575, 719–724, 743–761, 900–908, 960–965, 987–999
Species, rare: 299–306
Species, threatened: 299–306, 360–370, 799–809, 1054–1064
Spencer, Rocky D., *see* Bender, Louis C.
Spermophilus lateralis, see Squirrel, golden-mantled ground
Spermophilus parryi, see Squirrel, Arctic ground
Sphyrapicus varius, see Sapsucker, yellow-bellied
Spilogale gracilis, see Skunk, spotted
Spisula polynyma, see Clam, Alaska surf
Spruce, black: 576–584, 602–610
Spruce, Engelmann: 138–152, 288–298, 966–978,

1054–1064
Spruce, Norway: 602–610, 683–693
Spruce, red: 602–610
Spruce, Sitka: 405–417, 706–718
Spruce, white: 51–60, 138–152, 383–392, 576–584
Squirrel, Abert: 599
Squirrel, Arctic ground: 493–502
Squirrel, big cypress fox: 509
Squirrel, Delmarva fox: 509
Squirrel, fox: 509–513
Squirrel, golden-mantled ground: 288–298
Squirrel, gray: 512
Squirrel, northern flying: 45
Squirrel, red: 134
Squirrel, Sherman's fox: 509
Stanley, A. Wayne, *see* Zoellick, Bruce W.
Staphylinids: 299–306
Starling, European: 725–732
Statistics:
comparison of Type I error rates for statistical analyses of resource selection, 206–212
Stauffer, Christian, *see* Slotta-Bachmayr, Leopold
Stedman, Richard, Duane R. Diefenback, Craig B. Swope, James C. Finley, A. E. Luloff, Harry C. Zinn, Gary J. San Julian, and Grace A. Wang. Integrating wildlife and human-dimensions research methods to study hunters, 762–773
Steffer, Tony, *see* Millsap, Brian
Stellera chamaejasme, see Stellera, Chinese
Stellera, Chinese: 241–246
Sternotherus odoratus, see Turtle, common musk
Stipa purpurea, see Grass, purple needle
Stochasticity: 585–594, 909–915
Strand, Olav, *see* Vistnes, Ingunn
Stress: 561–569
Strix aluco, see Owl, tawny
Strix occidentalis caurina, see Owl, northern spotted
Strix occidentalis lucida, see Owl, Mexican spotted
Strix occidentalis occidentalis, see Owl, California spotted
Strix varia, see Owl, barred
Strobeck, Curtis, *see* Boulanger, John
Sturgeon, gulf: 11
Sturnis vulgaris, see Starling, European
Substrate:
spatial and temporal variation in detection probability of Plethodon salamanders using robust capture–recapture design, 14–24
habitat features affecting beaver occupancy along roadsides in New York state, 278–287
distribution and habitat of Columbian torrent salamanders at multiple spatial scales in managed forests of northwestern Oregon, 405–417
substrate cues influence habitat selection by spotted salamanders, 1151–1158
Sudarmaji, *see* Jacob, Jens
Sulzman, Christina, *see* Conway, Courtney J.
Supplemental feeding: 1130–1137
efficacy of black bear supplemental feeding to reduce conifer damage in western Washington, 470–474
space-use patterns of bobcats relative to supplemental feeding of northern bobwhites, 514–518
population dynamics of the Jackson elk herd, 810–829
efficacy of hunting, feeding, and fencing to reduce crop damage by wild boars, 939–946
Survey: 51–60, 223–232, 360–370, 860–869, 1124–1129
reducing false absences in survey data: detection probabilities of red-backed salamanders, 418–428
goals and strategies for estimating trends in landbird abundance, 611–626
estimating the size of the greater snow goose population, 639–649
integrating wildlife and human-dimensions research methods to study hunters, 762–773
effects of bag limits on bobwhite hunters and harvest, 1095–1103
multi-state analysis of fixed, liberal regulations in quail harvest management, 1104–1113
Survey, International Shorebird: 617
Survey, North American Breeding Bird:
goals and strategies for estimating trends in landbird abundance, 611–626
Survey, point count: 383–392
Survey, scent station: 650–662
Survey, vocalization: 360–370, 1114–1123
estimating calling rates of northern bobwhite coveys and measuring abundance, 672–682
responses of American crow populations to campgrounds in remote native forest landscapes, 706–718
Survival: 129–137, 198–205, 247–256, 332–341, 503–508, 514–518, 810–829, 993–999
effects of radiotransmitters on northern goshawks: do tailmounts lower survival of breeding males?, 25–32
winter survival and additive harvest in northern bobwhite coveys in Kansas, 94–100
patterns of density and survival in small mammals in ski runs and adjacent forest patches, 288–298
effects of predator removal on mallard duckling survival, 342–350
effects of fall hunting on survival of male wild turkeys in Virginia and West Virginia, 393–404
synthesis of survival rates and causes of mortality in North American wolverines, 493–502
neonatal mule deer fawn survival in west-central Colorado, 550–560
desert mule deer survival in southwest Texas, 561–569
survival and cause-specific mortality of northern bobwhites in western Oklahoma, 663–671
survival, cause-specific mortality, and harvesting of male black-tailed deer in Washington, 870–878
modeling survival: application of the Andersen-Gill model to Yellowstone grizzly bears, 966–978
comparative fecundity and survival of bald eagles fledged from suburban and rural natal areas in Florida, 1018–1031
survival, recruitment, and rate of population change of the peregrine falcon population in Colorado, 1032–1038

winter survival of lesser scaup in east-central Florida, 1082–1087
Sus scrofa, see Boar, wild
Suzuki, Wajiro, *see* Oka, Teruki
Swaisgood, Ronald R., *see* Durnin, Matthew E.
Swann, Don E., *see* Goode, Matthew J.
Sweeney, Steven J., *see* Roffe, Thomas J.
Swenson, Jon, *see* Tallmon, David A.
Switzerland: 939–946, 1010–1017
Swope, Craig B., *see* Stedman, Richard
Sylvilagus backmani, see Rabbit, brush
Székely, János, *see* Mátrai, Katalin
Szemethy, László, *see* Mátrai, Katalin

T

Taberlet, Pierre, *see* Tallmon, David A.
Tag, ear: 288–298, 509–513
Tag, molecular: 439–456
Tag, nasal: 338, 342–350
Tag, passive integrated transponder: 179–187
Tag, web: 337
Tallmon, David A., Eva Bellemain, Jon Swenson, and Pierre Taberlet. Genetic monitoring of Scandinavian brown bear effective population size and immigration, 960–965
Tamarack: 576–584
Tamias minimus, see Chipmunk, least
Tamiasciurus hudsonicus, see Squirrel, red
Tanager, scarlet: 51–60, 383–392
Taraxacum officinale, see Dandelion, common
Taxidea taxus, see Badger
Taxus spp., *see* Yew
Taylor, Sharon, *see* Millsap, Brian
Tea, Mormon: 533–541
Teal, blue-winged: 91, 348, 650–662
Teal, cinnamon: 650–662
Temperature: 266–277, 405–417, 1039–1053
Tennessee: 1–24, 179–187, 672–682
Tettigonids: 299–306
Texas: 80, 371–382, 561–569, 743–761, 1104–1113
Thompson, Jonathan E., *see* Ballard, Bart M.
Thrush, hermit: 51–60, 383–392
Thrush, Swainson's: 51–60, 383–392
Thuja occidentalis, see Cedar, white
Thuja plicata, see Cedar, western red
Thyme: 198–205
Thymus sp., *see* Thyme
Thysanura: 683–693
Tilia americana, see Basswood, American
Timber harvest: 383–392, 799–809, 1114–1123, 1159–1160
effects of selection cutting on bird communities in contiguous eastern hardwood forests, 51–60
localized management of white-tailed deer in the central Adirondack Mountains, New York, 257–265
patterns of density and survival in small mammals in ski runs and adjacent forest patches, 288–298
distribution and habitat of Columbian torrent salamanders at multiple spatial scales in managed forests of northwestern Oregon, 405–417
Tipulidae: 683–693
Terrapin, northern diamondback: 1149
Toad, Houston: 743–761
Tombigbee National Forest: 223–232
Tooth wear: 247–256, 870–878, 889–899
Tortoise, desert: 429–434
Tóth, Péter, *see* Mátrai, Katalin
Toxicodendron diversilobum, see Oak, poison
Trachemys scripa, see Turtle, red-eared slider
Transects: 1–13, 94–100, 470–474, 672, 879–888
Translocation: 247–256
the influence of mountain lion predation on bighorn sheep translocations, 993–999
Trap, culvert: 457–469
Trap, dho-gaza: 25–32
Trap, emergence: 683–693
Trap, foot-hold: 1000–1009
Trap, funnel: 94–100, 663–671
Trap, hair: 138–152, 457–469
Trap, live: 288–298, 475–492
Trap, nest-box: 84–93
Trap, pitfall: 101
Trap, Stephenson box: 257–265
Trap, Swedish goshawk: 25–32
Trematode:
a comparison of the helminth faunas of wild and farm-reared red-legged partridge, 701–707
***Trichostrongylus tenuis*:** 701
***Trichostrongylus tenuis*:** 701–707
Tringa flavipes, see Yellowlegs, lesser
Triticum aestivum, see Wheat, winter
Troglodytes troglodytes, see Wren, winter
Trout, cutthroat: 129, 969–978
Truex, Richard J., *see* Zielinski, William J.
Tsuga Canadensis, see Hemlock, eastern
Tsuga heterophylla, see Hemlock, western
Tsuga mertensiana, see Hemlock, mountain
Tucker, James W., Jr., W. Douglas Robinson, and James B. Grand. Influence of fire on Bachman's sparrow, an endemic North American songbird, 1114–1123
Turdus merula, see Blackbirds
Turdus migratorius, see Robin, American
Turkey, eastern wild: 185
effects of fall hunting on survival of male wild turkeys in Virginia and West Virginia, 393–404
Turtle: 1145–1150
Turtle, alligator snapping: 1148
Turtle, common musk: 1145–1150
Turtle, common snapping: 1145–1150
Turtle, false map: 1145–1150
Turtle, Hawksbill sea: 11
Turtle, red-eared slider: 1145–1150
Turtle, smooth softshell: 1145–1150
Turtle, spiny softshell: 1145–1150s
Turtle excluder device: 1145–1150
Tympanuchus spp., *see* Grouse, prairie
Tympanuchus cupido pinnauts, see Chicken, greater prairie
Tympanuchus phasianellus jamesi, see Grouse, sharp-tailed

U

Ulmschneider, Helen M., *see* Zoellick, Bruce W.
Umbellularia californica, see Myrtlewood
Underwood, H. Brian., *see* Porter, William F.
Ungulates: 101–137, 153–166, 241–277, 519–584, 810–829, 837–849, 916–923, 993–999
Urban environment:
movement behavior, dispersal, and the potential for localized management of deer in a suburban environment, 247–256
harvest parameters of urban and rural mourning doves in Ohio, 694–700
habitat-use patterns of Florida Key deer: implications of urban development, 900–908
spatial ecology of coyotes along a suburban-to-rural gradient, 1000–1009
baiting red foxes in an urban area: a camera trap study, 1010–1017
comparative fecundity and survival of bald eagles fledged from suburban and rural natal areas in Florida, 1018–1031
Uria aalge, see Murre, common
Urocyon cinereoargenteus, see Fox, gray
Urosaurus ornatus, see Lizard, tree
Ursus americanus, see Bear, black
Ursus arctos horriblis, see Bear, grizzly
Ursus arctos luteolus, see Bear, Louisiana black
Ursus arctos, see Bear, brown
Ursus maritimus, see Bear, polar
Ursus thibetanus, see Bear, Asiatic black
Urtica dioica, see Nettle, California
Urus malayanus, see Bear, sun
Uta stansburiana, see Lizard, side-blotched
Utah: 1036

V

Vaccinations:
short-term negative effects of vaccination campaigns against myxomatosis and viral hemorrhagic disease (VHD) on the survival of European wild rabbits, 198–205
efficacy of single calfhood vaccination of elk with *Brucella abortus* strain 19, 830–836
baiting red foxes in an urban area: a camera trap study, 1010–1017
Vaccinium membranacium, see Huckleberries
Vaccinium parvifolium, see Huckleberries
Vaccinium spp., *see* Huckleberry, red
Valentine National Wildlife Refuge: 1088–1094
Variation, intersexual:
interspecific and intersexual variation in roost-site selection of northern long-eared and little brown bats in the Greater Fundy National Park ecosystem, 602–610
Variation, interspecific:
interspecific and intersexual variation in roost-site selection of northern long-eared and little brown bats in the Greater Fundy National Park ecosystem, 602–610
Veery: 51–60, 383–392
Vehicle, off-road: 521
Vehicle collisions: 909–915
Vemivora ruficapilla, see Warbler, Nashville
Vigna spp., *see* Pea, cow
Vilella, Francisco J., *see* Bowman, Jacob L.
Villafuerte, Rafael, *see* Calvete, Carlos
———, *see* Millán, Javier
Vireo flavifrons, see Vireo, yellow-throated
Vireo olivaceous, see Vireo, red-eyed
Vireo solitarius, see Vireo, blue-headed
Vireo, blue-headed: 383–392
Vireo, red-eyed: 51–60, 383–392
Vireo, yellow-throated: 383–392
Virginia: 393–404, 418–428
Vistnes, Ingunn, Christian Nellemann, Per Jordhøy, and Olav Strand. Effects of infrastructure on migration and range use of wild reindeer, 101–108
Voigt, Dennis R., *see* Jobes, Andrew P.
Vole, California: 503–508
Vole, heather: 288–298
Vole, montane: 288–298
Vole, red-backed: 288–298
Vole, western red-backed: 293
Vulpes velox, see Fox, swift
Vulpes vulpes, see Fox, red
Vulture, turkey: 571

W

Wagner, David M., and Lee C. Drickamer. Abiotic habitat correlates of Gunnison's prairie dog in Arizona, 188–197
Wagtail: 300
Wallingford, Bret D., *see* Rosenberry, Christopher S.
Walrus: 236
Walzer, Christian, *see* Slotta-Bachmayr, Leopold
Wang, Grace A., *see* Stedman, Richard
Warbler, black-and-white: 383–392
Warbler, blackburnian: 51–60, 383–392
Warbler, black-throated blue: 51–60, 383–392
Warbler, black-throated green: 51–60, 383–392
Warbler, Canada: 383–392
Warbler, chestnut-sided: 51–60, 383–392
Warbler, Kirtland's: 611
Warbler, magnolia: 383–392
Warbler, mourning: 51–60, 383–392
Warbler, Nashville: 383–392
Warbler, yellow-rumped: 51–60, 383–392
Warren, Robert J., *see* Godbois, Ivy A.
Wasel, Shawn M., *see* Osko, Terrance J.
Washington: 413, 470–474, 493, 706–718, 870–878
Water quality, best management practices: 390
Waterfowl: 61–93, 84–93, 342–359, 371–382, 639–662, 1065–1087
waterbird foods in winter-managed ricefields in Mississippi, 74–83
does presence of permanent fresh water affect recruitment in prairie-nesting dabbling ducks?, 332–341

Waxwing, cedar: 383–392
Weasel: 342–350
Weasel, long-tailed: 503–508, 1005
Weather: 120–128, 179–187, 266–277, 418–428, 561–569, 663–693
Weeks, Harmon P., *see* Atwood, Todd C.
Wellendorf, Shane D., William E. Palmer, and Peter T. Bromley. Estimating calling rates of northern bobwhite coveys and measuring abundance, 672–682
Wetlands: 84–93, 332–341, 360–370
Weybright, Darrel L., *see* Rominger, Eric M.
Wheat, Egyptian: 514–518
Wheat, winter: 514–518
White River National Forest: 288–298
White, Gary C., *see* Craig, Gerald R.
———, *see* Flanders-Wanner, Bridgette L.
———, *see* Norman, Gary W.
———, *see* Reynolds, Richard T.
Whitlaw, Heather A., *see* Rominger, Eric M.
Whittaker, Donald G., Stacey D. Ostermann, and Walter M. Boyce. Genetic variability of reintroduced California bighorn sheep in Oregon, 850–859
Wiese, Francis K., and Gregory J. Robertson. Assessing seabird mortality from chronic oil discharges at sea, 627–638
Wigeon, American: 348, 378
Wildlife damage: 278–287
Wilkins, R. Neal, *see* Lopez, Roel R.
Williams, Alison K., and Jim Berkson. Reducing false absences in survey data: detection probabilities of red-backed salamanders, 418–428
Williams, Christen Lenney, Barbara Lundrigan, and Olin E. Rhodes, Jr. Microsatellite DNA variation in Tule elk, 109–119
Williams, Christopher K., R. Scott Lutz, and Roger D. Applegate. Winter survival and additive harvest in northern bobwhite coveys in Kansas, 94–100
Willow: 278–287, 837–849
Willow, black: 91
Wilson, Kenneth R., *see* Hadley, Gillian L.
Wilson, Matthew T., *see* Lopez, Roel R.
Wilsonia canadensis, *see* Warbler, Canada
Winter: 179–187, 247–256, 266–277, 288–298, 514–518, 533–541, 663–671, 837–849, 889–899
  marine and agricultural habitat preferences of dunlin wintering in British Columbia, 61–73
  waterbird foods in winter-managed ricefields in Mississippi, 74–83
  winter survival and additive harvest in northern bobwhite coveys in Kansas, 94–100
  winter prey selection and estimation of wolf kill rates in Yellowstone National Park, 1995–2000, 153–166
  factors correlated with foraging behavior of wolves in and near Glacier National Park, Montana, 167–178
  diet and nutrition of northern pintails wintering along the southern coast of Texas, 371–382
  winter survival of lesser scaup in east-central Florida, 1082–1087
Wisconsin: 402
Wolf: 124, 440, 997
  winter prey selection and estimation of wolf kill rates in Yellowstone National Park, 1995–2000, 153–166
  factors correlated with foraging behavior of wolves in and near Glacier National Park, Montana, 167–178
  spatial separation of caribou from moose and its relation to predation by wolves, 799–809
Wolverine: 106, 449–452
  synthesis of survival rates and causes of mortality in North American wolverines, 493–502
Woodard, Jennifer, *see* Porter, William F.
Woodpecker, acorn: 29
Woodpecker, downy: 383–392
Woodpecker, green: 689
Woodpecker, hairy: 383–392
Woodpecker, pileated: 383–392
Woodpecker, red-cockaded: 230, 1114
Woodpecker, three-toed: 683–693
Woods, John G., *see* Apps, Clayton D.
———, *see* Boulanger, John
Worm, marine: 233
Worm, peanut: 233–240
Worm, tape: 1010–1017
Wormwood, desert: 241–246
Wormwood, dilled: 241–246
Wren, winter: 51–60, 383–392
Wyoming: 129–137, 278, 493, 966–978

Y

Yabe, Tsuneaki, *see* Kaji, Koichi
Yak, domestic: 241
Yamanaka, Masami, *see* Kaji, Koichi
Yarrow: 288–298
Yazoo National Wildlife Refuge: 223–232
Yellowlegs, lesser: 74–83
Yellowstone National Park: 129–137, 153–166, 830–836, 966–978
Yew: 253
Yucca spp., *see* Cactus
Yukon Territory: 449–452

Z

Zea mays, *see* Corn
Zeigenfuss, Linda C., *see* Schoenecker, Kathryn
Zenaida macroura, *see* Dove, mourning
Ziegltrum, Georg J. Efficacy of black bear supplemental feeding to reduce conifer damage in western Washington, 470–474
Zielinski, William J., Richard L. Truex, Gregory A. Schmidt, Fredrick V. Schlexer, Kristin N. Schmidt and Reginald H. Barrett. Resting habitat selection by fishers in California, 475–492
Zinn, Harry C., *see* Stedman, Richard
Zoellick, Bruce W., Helen M. Ulmschneider, Brian S. Cade and A. Wayne Stanley. Isolation of Snake River islands and mammalian predation of waterfowl nests, 650–662
Zonotrichia albicollis, *see* Sparrow, white-throated